599 Tobacco Additives

Cigarette Additives, Combustion Chemistry, Product Engineering, Disclosure, and Evidence of Tobacco-Industry Deception

---

OSINT evidence synthesis and critical review

Research cut-off: 6 November 2026

Marie Landry

LandryIndustries.ca • MarieLandrySpyShop.com

ORCID: 0009-0008-5027-3337

Moncton, New Brunswick, Canada

Open-source intelligence evidence synthesis. Language: Canadian English.

Contents

1 Executive Summary **2**

2 Methods **4**

2.1 Analytical assumptions 5

3 Results **5**

3.1 The 599-list provenance and what the list actually represents 5

3.2 Combustion chemistry and toxicant formation 6

Representative smoke-toxicant evidence 7

3.3 Corporate knowledge, deception, disclosure and lobbying 8

3.4 Current regulatory and disclosure regimes 9

Timeline of pivotal events 10

Causal map 11

4 Discussion **11**

4.1 Claims discarded as false, unsupported or overstated 13

5 Policy Recommendations **14**

6 Conclusions **15**

Appendix A — Historical 599-Additive List **16**

Verification Notes — Publication Edition **23**

Bibliography **24**

1 Executive Summary

The phrase **"599 additives" has a real documentary origin**, but it is often described inaccurately. In 1994, major U.S. cigarette manufacturers publicly released a pooled list titled *Ingredients Added to Tobacco in the Manufacture of Cigarettes by the Six Major American Cigarette Companies*. A contemporaneous confidential version submitted to the U.S. Department of Health and Human Services identified the companies as American Tobacco, Brown & Williamson, Liggett, Lorillard, Philip Morris and R.J. Reynolds and explicitly characterized the compilation as confidential trade-secret information. The public document dated 12 April 1994 is preserved in the UCSF Industry Documents Library; the 2010 U.S. Surgeon General's report independently confirms that the six manufacturers had reported a pooled list of **599 ingredients** used in U.S. cigarette manufacture. [1, 2, 5]

The list **does not mean that every cigarette contained 599 additives**. It was a pooled universe of substances that could be used across manufacturers and products. It included individual chemicals, botanical extracts, essential oils, juices, sugars, amino acids, humectants, acids, salts, flavour compounds and processing aids. The Surgeon General specifically identifies flavouring, pH adjustment, moisture retention, mitigation of smoke harshness and burn-rate control as functions of cigarette additives. [5, 28]

Nor is a manufactured cigarette chemically equivalent to **"tobacco plus nicotine."** Tobacco itself contains thousands of compounds; combustion, pyrolysis and distillation generate thousands more. Modern cigarette design additionally involves paper chemistry, filters, ventilation, blends, reconstituted or expanded tobacco, humectants, sugars and flavour-related compounds. The Surgeon General concluded that cigarette design, tobacco blend and manufacturing variables profoundly influence smoke chemistry and toxicant delivery. Tobacco smoke contains more than 7,000 identified chemicals; at least hundreds are hazardous, and at least roughly 70 are established carcinogens under commonly cited U.S. public-health summaries. [5, 6, 8]

The popular statement that **"all 599 additives were FDA-approved food additives" is materially misleading and should be discarded in that form**. The 1994 industry list annotates different substances variously as "FDA approved food additive," "FDA GRAS," "FEMA GRAS," naturally occurring substances and other categories. Under U.S. law, GRAS status is not synonymous with FDA pre-market approval; a GRAS conclusion can be reached without pre-market FDA review, and FEMA is a private flavour-industry association whose expert panel makes independent GRAS determinations. FDA itself warns that inclusion of a substance evaluated by FEMA in its food-substances inventory does **not** mean FDA approved or evaluated that use. [11, 12, 13, 1]

The central toxicological concern, however, is valid: **a safety determination for eating a substance under specified conditions cannot be transposed automatically to heating, pyrolysing, burning and inhaling that substance or its reaction products**. FDA states expressly that GRAS and food-additive safety determinations are conditional on their *intended use*. The Surgeon General noted that food-use status had been extrapolated to cigarette manufacture even though gastrointestinal and pulmonary exposure differ, while later combustion studies identified aldehydes, furans and other products generated from additives at cigarette-relevant temperatures. [12, 5, 29]

The strongest modern example is **sugar chemistry**. Sugars occur naturally in tobacco and can also be added during manufacture. Experimental and observational work shows that thermal degradation of sugars can form formaldehyde, acetaldehyde, acrolein, furans and related carbonyl compounds. A 2026 stable-isotope study established direct precursor relationships for several furans and aldehydes in machine-generated cigarette smoke. The labelled sugars accounted for up to 58% of measured 5-hydroxymethylfuran but only up to 2% of the measured aldehydes in that experiment; this finding should not be extrapolated as the fraction

of all smoke toxicity attributable to added sugar. Commercial-cigarette measurements likewise found that aldehyde and volatile-organic-compound yields depend on the sugar and humectant content of the tobacco. [30, 31, 32, 48]

The evidence does **not** support a simplistic proposition that additives are the sole, or necessarily dominant, reason cigarettes kill. Burned tobacco without the 599 additives is itself highly toxic and carcinogenic. Metals, tobacco-specific nitrosamines, polycyclic aromatic hydrocarbons, carbon monoxide, aldehydes, volatile organic compounds and other hazards arise from tobacco composition, cultivation, curing and combustion as well as from additives and cigarette engineering. Consequently, an "additive-free," "natural," or even "organic" combustible cigarette is **not a safe cigarette**. [5, 6, 7]

On corporate conduct, the evidence is considerably stronger than mere suspicion. In *United States v. Philip Morris USA Inc.*, the U.S. District Court found a decades-long racketeering scheme in which major cigarette companies lied, misrepresented and deceived the public about smoking's health effects, nicotine addiction, cigarette engineering, "light" cigarettes, youth marketing and second-hand smoke. The D.C. Circuit substantially affirmed those liability findings. The U.S. Department of Justice summarizes the judgment as finding deliberate deception and manipulation of nicotine to sustain addiction. [38, 41, 40]

There is also specific evidence concerning **ingredient disclosure**. A previously secret Philip Morris strategy, reconstructed from corporate documents, used third-party coalitions, polling and political messaging to oppose state ingredient-disclosure requirements. Internal policy documents advocated protecting proprietary trade secrets and opposing pack-level disclosure. The pre-1994 ingredient submission itself was expressly marked confidential and protected from public disclosure. These records support a defensible conclusion that cigarette manufacturers deliberately sought to **control how much product-composition information reached consumers and regulators**. They do not, by themselves, prove that every additive was concealed for the purpose of hiding a known toxic effect. [42, 2, 43]

The "599" story therefore survives rigorous scrutiny, but in a more precise form than the viral version:

Claim	OSINT finding
"There really was a 599-additive list."	**Verified.**
"Every cigarette contains 599 chemicals."	**False.** The list was pooled across manufacturers/products.
"Every one was FDA-approved."	**False/misleading.** FDA approval, FDA GRAS and FEMA GRAS are distinct.
"Food-safe means smoke-safe."	**False.** Safety is route- and use-specific; combustion creates new products.
"The 599 additives create all cigarette toxicity."	**False.** Tobacco combustion itself is carcinogenic and toxic.
"Some additives modify flavour, harshness, burn, moisture or nicotine delivery."	**Verified.**
"Industry knew smoking was dangerous and addictive while publicly denying/minimizing it."	**Judicially established for major defendants.**
"Industry resisted detailed ingredient disclosure."	**Supported by internal documents and historical litigation.**
"One billion people have already died from tobacco."	**False.** The figure is a projection for the 21st century, not a historical death count.

Claim	OSINT finding
"One billion could die this century if tobacco use persists."	**Supported by WHO/epidemiological projections.**

WHO historically estimated about **100 million tobacco deaths in the twentieth century** and projected that tobacco could kill roughly **one billion people during the twenty-first century** under persistent smoking patterns. More recent Global Burden of Disease work estimated more than 175 million smoking-attributable deaths during 1990–2021 alone. Thus, the "one billion already dead" premise should be removed from any publication intended to withstand scientific or legal scrutiny. [18, 45, 46]

Finally, this report uses **commercial tobacco** deliberately. Traditional or ceremonial tobacco use in Indigenous cultures should not be collapsed analytically into industrial cigarette manufacture; public-health agencies themselves distinguish commercial tobacco products from traditional Indigenous tobacco practices. [7]

2 Methods

This review used an OSINT evidence hierarchy in which primary legal, regulatory and corporate sources were weighted above secondary commentary. Searches were conducted through official U.S., Canadian, European, Australian and WHO repositories; PubMed/PMC; the UCSF Truth Tobacco Industry Documents archive; U.S. court and Department of Justice material; and historical cigarette-industry documents. Wikipedia was used only as a **discovery and transcription aid** for Appendix A, then cross-checked against the 1993 confidential submission, the 12 April 1994 industry list, Surgeon General documentation and UCSF archival metadata. [47, 1, 3]

Evidence-review limits. This is a critical OSINT evidence synthesis, not a PRISMA-registered systematic review, a census of all cigarette studies, or a statistical meta-analysis. Studies were not pooled into a common effect estimate because products, doses, exposure regimes and biological endpoints are heterogeneous. Historical industry documents document disclosed formulations and internal conduct, not necessarily current market formulations. The list is a historical aggregate, not a representative sample of brand-specific ingredients. Sources accessed through archives may retain historical terminology or outdated regulatory status; the legal overview describes the regime at the stated research cut-off.

The scientific search concentrated on four linked questions: what substances were added; what functions they served; what thermal transformations occurred during smoking; and whether those transformations measurably altered smoke chemistry or biological activity. Particular attention was given to sugars, polyols/humectants, ammonia chemistry, flavour compounds, acids and botanical mixtures because these categories recur both in the 599 list and the experimental literature. [5, 29, 30]

Industry-funded toxicology was not excluded. Instead it was treated as evidence requiring conflict-of-interest analysis. Philip Morris's Project MIX, for example, tested 333 additives and reported limited toxicological change after normalizing some endpoints to total particulate matter. Independent re-analysis of the underlying documents later concluded that the normalization obscured increases in particulate matter and certain toxicants and identified post-hoc analytical changes. The disagreement is material and is reported rather than suppressed. [33, 35, 36]

For legal conclusions, this report distinguishes four evidentiary levels: **documented corporate knowledge**,

corporate strategy, **scientific inference**, and **judicial finding**. The word "deception" is used strongly only where supported by court findings or documents showing contradiction between internal knowledge and external representations. Allegations such as murder, intentional poisoning, genocide or knowingly causing a specific numerical death toll are not inferred from public-health evidence alone.

2.1 Analytical assumptions

"Additive" is used broadly unless the source specifies otherwise. Modern U.S. law defines a tobacco additive as a substance intended to become a component of or affect a tobacco product, apart from tobacco itself and certain pesticide residues. A "smoke constituent" can either transfer directly from a product component or be formed during combustion or heating. [15]

Functional categories overlap. For example, glycerol is principally a humectant but may influence smoke chemistry; cocoa is a flavour material containing multiple pharmacologically active molecules; ammonium compounds can be processing agents, flavour/harshness modifiers and modifiers of nicotine chemistry. Therefore classification below is mechanistic rather than mutually exclusive.

3 Results

3.1 The 599-list provenance and what the list actually represents

The archival trail is unusually strong. The confidential 1993 submission states that the list was submitted through Covington & Burling to HHS under Section 7 of the Federal Cigarette Labeling and Advertising Act and calls it confidential trade-secret information. Its public successor dated 12 April 1994 identifies the same manufacturers and begins with acetanisole, acetic acid, acetoin, acetophenone and 6-acetoxydihydrotheaspirane. The later Surgeon General review independently identifies the collective list as 599 additives used in U.S. cigarettes. [2, 1, 5]

The list spans several broad functional/chemical families:

Functional family	Representative 599-list entries	Principal reason for use / relevance
Sugars and carbohydrate materials	sugars, honey, molasses, maple syrup, beet juice, malt, maltodextrin	casing, flavour, mouthfeel; thermal precursors of carbonyls/furans
Humectants	glycerol, propylene glycol, sugar alcohols	retain moisture, influence aerosol/smoke properties
pH / acid-base modifiers	ammonia, ammonium bicarbonate, ammonium hydroxide, sodium carbonate, phosphoric acid, citric acid	processing, flavour, nicotine protonation/free-base equilibrium
Flavour/aroma esters	ethyl acetate, isoamyl acetate, benzyl butyrate, linalyl acetate	aroma and sensory profile
Aldehydes/ketones	benzaldehyde, cinnamaldehyde, acetophenone, diacetyl	flavour/aroma; some have intrinsic toxicological relevance
Pyrazines/pyridines	acetylpyrazine, methylpyrazines, pyridine	roasted/nutty flavour; sensory effects
Terpenes/essential oils	menthol, linalool, geraniol, pinene, peppermint, lavender	flavour, cooling, aroma, sensory modification
Botanical extracts	liquorice, cocoa, coffee, tea, fenugreek, valerian, dandelion	flavour/casing; complex chemical mixtures

Functional family	Representative 599-list entries	Principal reason for use / relevance
Amino acids	alanine, arginine, asparagine, glutamic acid, leucine, proline	processing and flavour precursors; participate in Maillard chemistry
Preservative/process agents	sodium benzoate, potassium sorbate, guar gum, xanthan gum, cellulose fibre	preservation, binding, processing
Burn/design agents	carbonate salts, phosphates, paper-related salts	burn rate and physical performance

The Surgeon General describes a "casing" stage containing materials such as glycerol, propylene glycol, cocoa, honey, liquorice and fruit extracts and a later top-flavour stage containing more volatile compounds including menthol and aromatic oils. [5]

A major conceptual error is to treat the list as equivalent to the composition of smoke. **Ingredients and smoke constituents are different inventories.** A chemical may transfer largely intact, decompose, react with other constituents, or never reach the inhaled smoke. Conversely, many important smoke toxicants are not deliberately added at all; they arise from tobacco, combustion or reaction chemistry. [27, 5]

3.2 Combustion chemistry and toxicant formation

A burning cigarette operates across steep temperature and oxygen gradients; an additive may undergo evaporation, distillation, pyrolysis, oxidation, Maillard chemistry or secondary reactions. Experimental pyrolysis of 19 tobacco additives at 350, 700 and 1000°C under inert and oxidative conditions identified several compounds formed specifically during additive decomposition and demonstrated why room-temperature toxicology is an incomplete surrogate for smoking. [29]

Sugars are among the clearest examples. Their degradation generates aldehydes, furans, organic acids and other volatile compounds. In commercial cigarettes, aldehyde and VOC yields were related to one another and depended on the sugar and humectant content of the tobacco. The 2026 isotope-labelling experiment traced isotope-labelled added sugars into smoke compounds, establishing precursor--product relationships rather than mere correlation. In that study, labelled sugars contributed up to 58% of 5-hydroxymethylfuran and up to 2% of the measured aldehydes under the tested machine-smoking conditions; precursor attribution is not equivalent to an individual additive's contribution to population disease burden. The study detected no direct isotope-labelled sugar contribution to PAHs but observed changes in unlabelled PAHs, tobacco-specific nitrosamines and nicotine; the authors interpreted these as indirect effects on the experimental burning process. [30, 32, 48]

Glycerol and propylene glycol illustrate a second mechanism. They are used primarily as humectants, but thermal decomposition can generate smaller carbonyls. Commercial-cigarette data show that aldehyde and VOC yields depend on humectant content as well as sugar content, while pyrolysis experiments indicate that substantial fractions of humectants can also transfer intact. [30, 35]

Ammonia chemistry is more directly related to nicotine delivery and sensory properties. An internal industry document on "free nicotine/ammonia treatment" stated that increasing tobacco pH produced more free nicotine and discussed ammonia reducing combustion-related harshness. FDA's current educational material likewise says manufacturers may add ammonia compounds and that these compounds can make cigarettes more addictive. [37, 14]

The evidence around acetaldehyde and addiction requires more qualification. Acetaldehyde is abundant in

smoke and can be increased by sugar combustion. Animal experiments cited in industry-document reviews showed enhanced reinforcing effects when nicotine and acetaldehyde were administered together, but translation of that result to human cigarette dependence is not established at the same level as nicotine's causal role. It is appropriate to say acetaldehyde **may contribute to reinforcing effects**; it is excessive to claim that sugar-derived acetaldehyde has been proven to "make smokers addicted" independently of nicotine. [28, 31]

Representative smoke-toxicant evidence

Toxicant / class	Relevant origin pathways	Health relevance
Formaldehyde	sugar/polysaccharide pyrolysis; broader combustion	carcinogenic and respiratory toxicant
Acetaldehyde	tobacco and sugar thermal degradation	carcinogenic; respiratory toxicant; possible reinforcing interaction
Acrolein	glycerol/sugar/organic-matter degradation	potent respiratory and cardiovascular toxicant
Benzene	combustion/pyrolysis of organic material	carcinogen
1,3-Butadiene	combustion	carcinogen; high estimated cancer-risk contribution
PAHs	incomplete combustion	multiple carcinogens
Tobacco-specific nitrosamines	tobacco curing/chemistry and smoke	tobacco-specific carcinogens
Carbon monoxide	incomplete combustion	hypoxic/cardiovascular toxicity
Hydrogen cyanide	nitrogen-containing material combustion	respiratory/cardiovascular toxicant
Metals	plant uptake, soil/fertilizer and product materials	carcinogenic/systemic toxicity for several metals

NCI lists acetaldehyde, arsenic, benzene, 1,3-butadiene, cadmium, formaldehyde, PAHs and tobacco-specific nitrosamines among carcinogens in tobacco smoke. The Surgeon General identifies 1,3-butadiene as a major cancer-risk contributor and acrolein and acetaldehyde among major respiratory toxicants in quantitative prioritization analyses. [6, 5]

Project MIX provides an instructive conflicting dataset. Philip Morris investigators reported that adding mixtures representing 333 ingredients increased total particulate matter by roughly **13–28%**, while normalization to particulate matter often reduced individual constituent ratios; formaldehyde nevertheless increased substantially in some test cigarettes. An independent re-analysis argued that particulate normalization obscured additive-associated increases and that the biological studies were underpowered. The scientifically responsible conclusion is not that "all additives dramatically increase toxicity," nor that they are "proven harmless"; rather, the available testing was endpoint-limited, design-sensitive and sometimes methodologically contested. [34, 36]

3.3 Corporate knowledge, deception, disclosure and lobbying

The best-evidenced allegation in this report is not that companies secretly knew the precise pulmonary toxicology of all 599 additives. It is that major tobacco companies **possessed extensive internal knowledge concerning smoking hazards, nicotine pharmacology, cigarette engineering and consumer behaviour while publicly denying or minimizing major portions of that knowledge**. That proposition became a judicial finding in the federal RICO case. [38, 40]

The court found that defendants falsely denied or minimized nicotine addiction, manipulated nicotine delivery, misrepresented "light" cigarettes, denied the hazards of second-hand smoke and coordinated public-relations and scientific strategies. The appellate court upheld central liability findings, and court-ordered corrective statements eventually required companies to tell consumers that they had deliberately deceived the public. [41, 39]

Specific additive-related documents show sophisticated product engineering. Philip Morris and other companies studied ammonia/pH manipulation, nicotine delivery, aldehyde production, flavour chemistry and neurophysiological responses to menthol, pyrazines, vanillin and propylene glycol. A large academic review of industry files concluded that more than 100 substances on the 599 list had pharmacological properties potentially relevant to smoke sensory characteristics, nicotine delivery or symptom masking, although the authors explicitly cautioned that evidence of a pharmacological property does **not itself prove that manufacturers intentionally selected each substance for that pharmacological effect**. [28, 37]

Product-additive science was also used strategically. Project MIX was developed as regulators increasingly focused on additives. Independent analysis of released Philip Morris records reported post-hoc changes in analytical methods after early results indicated higher toxicity and particulate yields, while the eventual publications emphasized normalized measurements. This is evidence relevant to scientific framing and regulatory strategy, although it does not justify treating every tobacco-industry publication as fraudulent. [36]

Ingredient secrecy was institutional rather than accidental. The 1993 list states in capital letters that the information was confidential trade-secret material protected from disclosure. Later internal political material called for ingredient-disclosure rules to "balance" government health interests against company trade-secret interests and opposed package disclosure that would interfere with trademarks or packaging. [2, 43]

The Massachusetts/Vermont disclosure episode is even more probative. Researchers using Philip Morris documents found that the company retained a public-relations firm to create a coalition opposing disclosure, commissioned polling to identify persuasive arguments and sought to portray regulation as harmful to other industries and the local economy. This is strong evidence of organized political resistance to ingredient transparency. [42]

A legal nuance matters. Historically, U.S. federal law itself required manufacturers to submit ingredients confidentially. Modern law now requires brand-and-quantity ingredient reporting to FDA and reporting of harmful or potentially harmful constituents, but that does **not translate into a comprehensive consumer-readable ingredient declaration printed on the front or back of every cigarette package**. FDA may require certain constituent disclosures by specified mechanisms, while trade-secret and confidential-commercial protections continue in regulatory practice. [16, 9, 17]

The "personal choice" defence is therefore incomplete as an account of the historical market. Choice does not disappear simply because nicotine is addictive, but informed choice depends on accurate risk information. A market in which firms concealed or misrepresented addiction, product engineering and health risk does not satisfy a strong conception of informed consumer autonomy. That conclusion is an inference from the RICO findings, not a separate legal holding. [40, 41]

3.4 Current regulatory and disclosure regimes

By 2026, regulatory systems have moved far beyond the 1994 pooled list, but transparency remains uneven.

Jurisdiction	Ingredient reporting	Combustion/emission evidence	Public/on-pack disclosure	Important restrictions
United States	Manufacturer reports ingredients by brand/subbrand and quantity to FDA	HPHC reporting; FDA list expanded to 111 HPHCs in 2026	HPHC/public-health information available; no universal full ingredient panel on pack	Characterizing flavours other than tobacco/menthol prohibited in cigarettes; FDA product standards authority
Canada	Manufacturers and importers report each ingredient (name, amount, tobacco origin, supplier) and their R&D activities to Health Canada each year	26 listed constituents; 41 mainstream and 40 sidestream smoke emissions; annual toxicity testing of every cigarette brand sold	Packages carry health warnings and toxicity messages; Health Canada's labelling summary does not describe an ingredient panel	Extensive packaging and appearance controls; health warnings printed on individual cigarettes (phased in 2024–2025)
European Union	Brand/type list of all ingredients with quantities, reasons for inclusion, and REACH and CLP status (Art. 5)	Toxicological data in burnt or unburnt form (Art. 5); comprehensive studies for the 15 priority-list additives (Art. 6)	Member States must publish the submitted data online, subject to trade-secret protection (Art. 5)	Characterising flavours prohibited; additives that ease inhalation or nicotine uptake, and additives with CMR properties in unburnt form, prohibited (Art. 7)
United Kingdom	Ingredients by brand and variant, in descending order by weight, with reasons for inclusion, REACH/CLP status and available toxicological data (reg. 19)	Emissions information (reg. 20); enhanced reporting and studies for Schedule 2 priority additives (regs. 20A–20B)	Public-disclosure provisions (reg. 26) not reviewed here	Retains the EU-derived additive-reporting structure
Australia	Annual reports to the Department of ingredients used in manufacture, plus sales volumes and marketing expenditure (due 30 July; first reports covered 2024–25)	Emissions reporting not described on the Department's reporting page	Minister must publish each report unless satisfied that publication is not appropriate	Public Health (Tobacco and Other Products) legislation, Chapter 5
WHO FCTC	Article 10 calls for manufacturer/importer disclosure to authorities	Articles 9–10 contemplate contents/emissions testing and regulation	Calls for public disclosure of toxic constituents and emissions	Guidelines recommend brand-specific quantitative reporting rather than pooled lists

Sources: FDA, Health Canada, EU Tobacco Products Directive, UK regulations, Australian Department of Health and WHO FCTC. [9, 10, 21, 22, 23, 24, 25, 26, 20]

The EU framework is especially relevant to the "food-safe versus smoke-safe" problem because Article 5 requires toxicological data for ingredients **in burnt or unburnt form as appropriate**, while Article 6 requires comprehensive studies of priority additives for toxicity, addictiveness, characterising flavour, inhalation/nicotine uptake and formation of carcinogenic, mutagenic or reprotoxic substances. The first EU priority list (Decision 2016/787) names 15 additives, including cocoa, diacetyl, glycerol, guar gum, liquorice, maltol, menthol and propylene glycol, most of which appear in the historical 599 list. [23, 24]

Canada's system is notable for requiring standardized testing of tobacco constituents, mainstream and sidestream smoke and toxicity endpoints, while its packaging regime communicates health warnings and toxicity messages, including warnings printed on individual cigarettes. [21, 22]

Timeline of pivotal events

Date	Event	Significance
1964	First major U.S. Surgeon General report on smoking	Establishes authoritative smoking-disease evidence
1984	U.S. federal ingredient-reporting requirement begins	Manufacturers submit aggregated ingredients confidentially
1993	Confidential six-company list prepared/submitted	Documentary precursor to public 599 list
7 March 1994	ABC *Day One* publicizes ingredient issue	Major public exposure
12 April 1994	Six companies issue public 599 list	Historic disclosure
1994	Tobacco CEOs testify on nicotine/addiction	Later becomes central evidence in tobacco controversy
1998	Master Settlement Agreement	Industry documents become available through litigation architecture
2002	Project MIX publications	333 additives evaluated by Philip Morris researchers
2006	*United States v. Philip Morris* judgment	Federal RICO liability and extensive findings of deception
2009	Family Smoking Prevention and Tobacco Control Act	FDA gains tobacco-product regulatory authority
2010	Surgeon General reviews additive and combustion chemistry	Authoritative synthesis
2014–2016	EU Tobacco Products Directive implemented	Ingredient, combustion and priority-additive reporting system
2017 onward	U.S. corrective statements	Tobacco companies required to communicate court findings
2023–2025	Canadian package and individual-cigarette warning reforms (in force 1 August 2023)	Health warnings printed directly on cigarettes: king-size by July 2024, regular-size by April 2025
22 April 2026	FDA adds 18 HPHCs	U.S. HPHC list reaches 111 constituents

Sources: U.S. Surgeon General, UCSF archive, DOJ, FDA, EU and Health Canada. [4, 1, 41, 23, 10, 22]

Causal map

The arrows represent supported causal or institutional pathways, not an assertion that every additive generates every toxicant or health outcome. [5, 28, 38]

4 Discussion

The central finding of *599 Tobacco Additives* is that the strongest indictment of the manufactured cigarette does **not require exaggerating the 599 list**. The scientific case is stronger when the list is treated as evidence of industrial formulation rather than as a slogan implying 599 poisons inside every cigarette.

A cigarette is an engineered combustion system. Tobacco selection determines nicotine, sugars, nitrogen chemistry, metals and nitrosamine precursors; curing alters chemical composition; additives modify moisture, flavour, pH and smoke characteristics; paper and ventilation influence burn and dilution; smoking behaviour determines actual dose. The resulting smoke is a dynamic aerosol whose chemistry cannot be inferred simply from an ingredient label. [5, 27]

That distinction also exposes why **"natural tobacco" is not a scientifically adequate safety category**. Removing additives would eliminate some precursors and sensory modifiers but would leave nicotine addiction, carbon monoxide, tobacco-specific nitrosamines, PAHs, aldehydes, volatile organics, metals and particulate matter generated from tobacco itself. FDA action against misleading "natural" and "additive-free" cigarette claims reflects exactly this problem: consumers may infer reduced harm where combustion risk remains profound. [44, 6]

The user-supplied formulation "poisoning the plant matter" is therefore rhetorically powerful but analytically imprecise. Some additives can generate or enhance hazardous smoke constituents, alter sensory properties, facilitate inhalation or influence nicotine pharmacokinetics; others are largely transferred intact; others may make little measurable difference at realistic concentrations; and tobacco itself is intrinsically hazardous when burned. The stronger formulation is **"industrial formulation and combustion of tobacco create a toxic, addictive aerosol whose hazards cannot be reduced to nicotine alone."**

Likewise, "FDA-approved for food but never tested when burned" is too categorical. Historically, many materials were selected partly because of food-use status, and food safety plainly does not certify inhalation safety. But substantial pyrolysis, smoke-chemistry, inhalation and biological testing was subsequently performed on subsets of additives, including industry programmes involving hundreds of ingredients. The problem is not literally "zero testing"; it is that food authorization was never a valid substitute for tobacco-product inhalation assessment, and the later evidence base remains incomplete, heterogeneous and in some cases conflicted. [35, 33, 36, 12]

The "personal choice" argument is similarly incomplete. Nicotine is highly addictive, most smoking begins before mature adulthood, and a court has found that manufacturers intentionally misled consumers on addiction and health risk. An ethical defence based on autonomous choice becomes substantially weaker where the product is engineered for persistent dependence and where historically relevant information was concealed or distorted. That is a normative inference grounded in documented facts, not a finding that smokers have no agency. [19, 41]



Figure 1: Causal and institutional pathways linking tobacco, additives, engineering, combustion, exposure, disease and the regulatory response. Blue: inputs; orange: physical and chemical processes; red: exposure and harm; green: institutional pathways.

4.1 Claims discarded as false, unsupported or overstated

"One billion people have already died from commercial cigarettes." — Discarded. WHO and Jha/Peto describe approximately 100 million tobacco deaths in the twentieth century and project roughly one billion during the twenty-first century under persistent patterns. [18, 45]




Figure 2: Estimated past tobacco deaths versus a projection. The first two bars are estimates for different periods made by different methods and are not additive; the third is a projection for the twenty-first century, not a count of deaths that have occurred. The GBD bar shows the stated lower bound ("over 175 million"). Sources: WHO (2008); GBD 2021 Tobacco Forecasting Collaborators (2024). [18, 46]

"Every cigarette contains 599 additives." — Discarded. The list is an aggregated list across companies and products. [1, 5]

"All 599 were FDA-approved." — Discarded. Some were FDA-authorized food additives, some FDA GRAS, some FEMA GRAS or natural materials; FEMA GRAS is not FDA approval. [13, 1]

"The additives were never tested after burning." — Discarded as an absolute. The original food-safety rationale did not establish inhalation safety, but subsequent pyrolysis, smoke-chemistry, animal inhalation and in-vitro studies exist for many substances. [35, 34, 29]

"Additives are what makes cigarettes carcinogenic." — Discarded. Combustion of tobacco itself generates carcinogens and toxicants. Additives can modify the mixture and generate additional products but are not required for cigarette smoke to be lethal. [5, 6]

"The 599 list proves a criminal conspiracy to murder smokers." — Discarded. The documents and RICO judgment establish fraud, deception and racketeering conduct, not a judicial finding of murder or intent to kill. [38, 40]

"Tobacco companies did not disclose ingredients to government." — Discarded as a general historical claim. U.S. manufacturers were legally required to disclose aggregated ingredients to HHS beginning in the 1980s, although disclosures were confidential and did not provide consumers with brand-specific package ingredient panels. Modern FDA law requires much more detailed reporting. [16, 9]

What remains after those corrections is substantial: manufacturers formulated cigarettes with hundreds of possible non-tobacco ingredients; food-use status was often rhetorically invoked despite route-of-exposure limi-

tations; additives can alter smoke chemistry, palatability and nicotine delivery; industry scientists possessed sophisticated knowledge of cigarette pharmacology and engineering; manufacturers historically fought detailed public ingredient disclosure; and major cigarette companies were judicially found to have deceived the public about fundamental product risks.

5 Policy Recommendations

A modern regulatory response should move beyond the historical 599-list paradigm. WHO's Articles 9 and 10 framework already identifies the correct architecture: **brand-specific quantitative disclosure, emissions testing and public communication**, not a pooled list that tells consumers neither what is in a particular brand nor what appears in smoke. [20]

First, require complete machine-readable product composition by brand and variant. Regulators should receive ingredient name, CAS identifier where applicable, quantity per unit, component location, supplier function and reason for inclusion. Complex flavours and botanical extracts should be decomposed into known constituents wherever technically possible rather than hidden behind mixture names. This follows WHO guidance and the EU's brand-specific model. [20, 23]

Second, separate three disclosures that are too often conflated: formulation, emissions and toxicological transformation. Consumers need to know what was added; regulators need to know what is present in unburned product; and public-health assessment needs to know what is transferred or newly formed during realistic use. Ingredient disclosure alone does not describe smoke exposure. [15, 5]

Third, reverse the food-GRAS presumption for combustible products. Food authorization should carry no presumption of inhalation or combustion safety. Any additive intentionally used in combustible tobacco should require evidence covering thermal degradation, mainstream and sidestream emissions, interaction with the tobacco matrix, dose, respiratory toxicity, genotoxicity and effects on nicotine pharmacokinetics and sensory inhalability. The EU priority-additive mechanism provides an existing regulatory template. [12, 23, 24]

Fourth, prohibit additives whose principal effect is to facilitate initiation, inhalation or dependence where no overriding public-health benefit exists. Particular scrutiny should attach to additives that reduce harshness, generate attractive characterizing sensory properties, facilitate nicotine uptake or generate CMR compounds. EU legislation already articulates several of these criteria. [23]

Fifth, require independent testing financed by industry but firewalled from industry control. Project MIX demonstrates why sponsor control of protocol, normalization and publication can become part of the regulatory question. Raw data, preregistered protocols, adverse findings and analysis code should be deposited with regulators and made public subject only to narrowly construed legitimate trade-secret exceptions. [36]

Sixth, create consumer-readable digital ingredient and emission labels. A QR-accessible database could identify ingredients by brand, explain their functions and distinguish "present in tobacco," "added during manufacture," "transferred to smoke" and "formed during combustion." Such a system is more informative than printing 599 chemical names on a pack and avoids the false inference that unlisted combustion products are absent.

Seventh, preserve the distinction between commercial cigarettes and Indigenous ceremonial tobacco. Commercial tobacco regulation should not appropriate or stigmatize traditional cultural tobacco practices that differ fundamentally in manufacture, frequency, context and purpose. [7]

Eighth, archive tobacco-industry research permanently. The UCSF archive demonstrates enormous

public-health value: more than 16 million historical industry items are now searchable because litigation and settlement processes made documents public. Similar automatic archival requirements should attach to future tobacco and nicotine-product research. [47]

6 Conclusions

599 Tobacco Additives supports a serious indictment of manufactured combustible cigarettes, but the evidence is more compelling when stripped of viral inaccuracies.

The historical 599 list is authentic. It shows that twentieth-century cigarettes were formulated products containing a potentially extensive palette of flavours, sugars, humectants, acids, salts, plant extracts, aroma chemicals and processing agents. Those ingredients served functional purposes including flavour, moisture control, pH adjustment, burn characteristics and reduction of harshness. [1, 5]

Food-use status did not and does not demonstrate safety when chemicals are burned and inhaled. Contemporary experimental evidence confirms that additives can contribute to aldehydes, furans and other thermal products, while product engineering and additives can alter nicotine delivery and smoke sensory characteristics. [29, 32, 37]

Yet it would be scientifically wrong to imply that a cigarette made from unadulterated tobacco becomes safe. The lethal core of cigarette smoking is the repeated inhalation of **combustion products from tobacco**, compounded by nicotine dependence and modified by product design and formulation. "Additive-free," "natural" and "organic" descriptors therefore do not negate the carcinogenicity of smoke. [6, 5]

The OSINT record also substantiates far more than generic corporate negligence. Major cigarette manufacturers were found in federal court to have engaged in a prolonged fraudulent enterprise involving false statements about health effects, addiction, nicotine manipulation, "light" cigarettes and second-hand smoke. Separate archival evidence demonstrates political strategies intended to restrict or defeat ingredient-disclosure rules and preserve trade-secret protections. [40, 42]

What the record **does not** prove is equally important. The 599 ingredients were not all present in every cigarette; not every additive is demonstrably toxic at cigarette-use concentrations; not every compound was "FDA approved"; additive-free tobacco remains carcinogenic; the industry did conduct combustion and inhalation studies on subsets of ingredients; and one billion people have **not already died** from tobacco. These corrections make the core conclusion harder, not easier, to dismiss.

The defensible thesis of *599 Tobacco Additives* is therefore:

> **The manufactured cigarette is not "just nicotine" and not merely dried natural tobacco. It is an engineered drug-delivery and combustion product whose formulation, physical design and burning behaviour determine exposure to a complex toxic aerosol. Major cigarette manufacturers possessed sophisticated knowledge of smoking, nicotine and cigarette engineering while a federal court found that they repeatedly deceived the public about central health and addiction risks. Historical reliance on food-use status was not a scientifically sufficient basis for assuming inhalation safety, and historical ingredient disclosure regimes protected substantial product information from consumers.**

That formulation is supported by the documentary, chemical, regulatory and judicial record and does not depend on claims the evidence cannot sustain.

Appendix A — Historical 599-Additive List

1. Acetanisole
2. Acetic acid
3. Acetoin
4. Acetophenone
5. 6-Acetoxydihydrotheaspirane
6. 2-Acetyl-3-ethylpyrazine
7. 2-Acetyl-5-methylfuran
8. Acetylpyrazine
9. 2-Acetylpyridine
10. 3-Acetylpyridine
11. 2-Acetylthiazole
12. Aconitic acid
13. dl-Alanine
14. Alfalfa extract
15. Allspice extract, oleoresin, and oil
16. Allyl hexanoate
17. Allyl ionone
18. Almond bitter oil
19. Ambergris tincture
20. Ammonia
21. Ammonium bicarbonate
22. Ammonium hydroxide
23. Ammonium phosphate dibasic (diammonium phosphate)
24. Ammonium sulfide
25. Amyl alcohol
26. Amyl butyrate
27. Amyl formate
28. Amyl octanoate
29. alpha-Amylcinnamaldehyde
30. Amyris oil
31. trans-Anethole
32. Angelica root extract, oil and seed oil
33. Anise, anise star and oils
34. Anisyl acetate
35. Anisyl alcohol
36. Anisyl formate
37. Anisyl phenylacetate
38. Apple juice concentrate, extract, and skins
39. Apricot extract and juice concentrate
40. L-Arginine
41. Asafetida fluid extract and oil
42. Ascorbic acid
43. L-Asparagine monohydrate
44. L-Aspartic acid
45. Balsam of Peru and oil
46. Basil oil
47. Bay leaf, bay leaf oil, and sweet bay leaf oil
48. Beeswax, white
49. Beet juice concentrate
50. Benzaldehyde
51. Benzaldehyde glyceryl acetal
52. Benzoic acid
53. Benzoin
54. Benzoin resin
55. Benzophenone
56. Benzyl alcohol
57. Benzyl benzoate
58. Benzyl butyrate
59. Benzyl cinnamate
60. Benzyl propionate
61. Benzyl salicylate
62. Bergamot oil
63. Bisabolene
64. Black currant buds absolute
65. Borneol
66. Bornyl acetate
67. Buchu leaf oil
68. 1,3-Butanediol
69. 2,3-Butanedione
70. 1-Butanol
71. 2-Butanone
72. 4-(2-Butenylidene)-3,5,5-trimethyl-2-cyclohexen-1-one
73. Butter, butter esters, and butter oil
74. Butyl acetate
75. Butyl butyrate
76. Butyl butyryl lactate
77. Butyl isovalerate
78. Butyl phenylacetate
79. Butyl undecylenate
80. 3-Butylidenephthalide
81. Butyric acid
82. Cadinene
83. Caffeine
84. Calcium carbonate
85. Camphene
86. Cananga oil
87. Capsicum oleoresin
88. Caramel colour
89. Caraway oil
90. Carbon dioxide
91. Cardamom oleoresin, extract, seed oil, and powder
92. Carob bean and extract
93. beta-Carotene
94. Carrot oil
95. Carvacrol
96. 4-Carvomenthenol

97. L-Carvone
98. beta-Caryophyllene
99. beta-Caryophyllene oxide
100. Cascarilla oil and bark extract
101. Cassia bark oil
102. Cassie absolute and oil
103. Castoreum extract, tincture and absolute
104. Cedar leaf oil
105. Cedarwood oil terpenes and virginiana
106. Cedrol
107. Celery seed extract, solid, oil, and oleoresin
108. Cellulose fibre
109. Chamomile flower oil and extract
110. Chicory extract
111. Chocolate
112. Cinnamaldehyde
113. Cinnamic acid
114. Cinnamon leaf oil, bark oil, and extract
115. Cinnamyl acetate
116. Cinnamyl alcohol
117. Cinnamyl cinnamate
118. Cinnamyl isovalerate
119. Cinnamyl propionate
120. Citral
121. Citric acid
122. Citronella oil
123. dl-Citronellol
124. Citronellyl butyrate
125. Citronellyl isobutyrate
126. Civet absolute
127. Clary oil
128. Clover tops, red solid extract
129. Cocoa, cocoa shells, extract, distillate and powder
130. Coconut oil
131. Coffee
132. Cognac white and green oil
133. Copaiba oil
134. Coriander extract and oil
135. Corn oil
136. Corn silk
137. Costus root oil
138. Cubeb oil
139. Cuminaldehyde
140. para-Cymene
141. L-Cysteine
142. Dandelion root solid extract
143. Davana oil
144. 2-trans,4-trans-Decadienal
145. delta-Decalactone
146. gamma-Decalactone
147. Decanal
148. Decanoic acid
149. 1-Decanol
150. 2-Decenal
151. Dehydromenthofurolactone
152. Diethyl malonate
153. Diethyl sebacate
154. 2,3-Diethylpyrazine
155. Dihydro anethole
156. 5,7-Dihydro-2-methylthieno(3,4-D)pyrimidine
157. Dill seed oil and extract
158. meta-Dimethoxybenzene
159. para-Dimethoxybenzene
160. 2,6-Dimethoxyphenol
161. Dimethyl succinate
162. 3,4-Dimethyl-1,2-cyclopentanedione
163. 3,5-Dimethyl-1,2-cyclopentanedione
164. 3,7-Dimethyl-1,3,6-octatriene
165. 3,7-Dimethyl-1,6-octadien-3-ol (linalool)
166. 4,5-Dimethyl-3-hydroxy-2,5-dihydrofuran-2-one
167. 6,10-Dimethyl-5,9-undecadien-2-one
168. 3,7-Dimethyl-6-octenoic acid
169. 2,4-Dimethylacetophenone
170. alpha,para-Dimethylbenzyl alcohol
171. alpha,alpha-Dimethylphenethyl acetate
172. alpha,alpha-Dimethylphenethyl butyrate
173. 2,3-Dimethylpyrazine
174. 2,5-Dimethylpyrazine
175. 2,6-Dimethylpyrazine
176. Dimethyltetrahydrobenzofuranone
177. delta-Dodecalactone
178. gamma-Dodecalactone
179. para-Ethoxybenzaldehyde
180. Ethyl 10-undecenoate
181. Ethyl 2-methylbutyrate
182. Ethyl acetate
183. Ethyl acetoacetate
184. Ethyl alcohol
185. Ethyl benzoate
186. Ethyl butyrate
187. Ethyl cinnamate
188. Ethyl decanoate
189. Ethyl fenchol
190. Ethyl furoate
191. Ethyl heptanoate
192. Ethyl hexanoate
193. Ethyl isovalerate
194. Ethyl lactate
195. Ethyl laurate
196. Ethyl levulinate
197. Ethyl maltol
198. Ethyl methylphenylglycidate

199. Ethyl myristate
200. Ethyl nonanoate
201. Ethyl octadecanoate
202. Ethyl octanoate
203. Ethyl oleate
204. Ethyl palmitate
205. Ethyl phenylacetate
206. Ethyl propionate
207. Ethyl salicylate
208. Ethyl trans-2-butenoate
209. Ethyl valerate
210. Ethyl vanillin
211. 2-Ethyl (or methyl)-(3,5 and 6)-methoxypyrazine
212. 2-Ethyl-1-hexanol
213. 3-Ethyl-2-hydroxy-2-cyclopenten-1-one
214. 2-Ethyl-3,(5 or 6)-dimethylpyrazine
215. 5-Ethyl-3-hydroxy-4-methyl-2(5H)-furanone
216. 2-Ethyl-3-methylpyrazine
217. 4-Ethylbenzaldehyde
218. 4-Ethylguaiacol
219. 4-Ethylphenol
220. 3-Ethylpyridine
221. Eucalyptol
222. Farnesol
223. D-Fenchone
224. Fennel sweet oil
225. Fenugreek, extract, resin, and absolute
226. Fig juice concentrate
227. Food starch modified
228. Furfuryl mercaptan
229. 4-(2-Furyl)-3-buten-2-one
230. Galbanum oil
231. Genet absolute
232. Gentian root extract
233. Geraniol
234. Geranium rose oil
235. Geranyl acetate
236. Geranyl butyrate
237. Geranyl formate
238. Geranyl isovalerate
239. Geranyl phenylacetate
240. Ginger oil and oleoresin
241. L-Glutamic acid
242. L-Glutamine
243. Glycerol
244. Glycyrrhizin ammoniated
245. Grape juice concentrate
246. Guaiac wood oil
247. Guaiacol
248. Guar gum
249. 2,4-Heptadienal
250. gamma-Heptalactone
251. Heptanoic acid
252. 2-Heptanone
253. 3-Hepten-2-one
254. 2-Hepten-4-one
255. 4-Heptenal
256. trans-2-Heptenal
257. Heptyl acetate
258. omega-6-Hexadecenlactone
259. gamma-Hexalactone
260. Hexanal
261. Hexanoic acid
262. 2-Hexen-1-ol
263. 3-Hexen-1-ol
264. cis-3-Hexen-1-yl acetate
265. 2-Hexenal
266. 3-Hexenoic acid
267. trans-2-Hexenoic acid
268. cis-3-Hexenyl formate
269. Hexyl 2-methylbutyrate
270. Hexyl acetate
271. Hexyl alcohol
272. Hexyl phenylacetate
273. L-Histidine
274. Honey
275. Hops oil
276. Hydrolyzed milk solids
277. Hydrolyzed plant proteins
278. 5-Hydroxy-2,4-decadienoic acid delta-lactone
279. 4-Hydroxy-2,5-dimethyl-3(2H)-furanone
280. 2-Hydroxy-3,5,5-trimethyl-2-cyclohexen-1-one
281. 4-Hydroxy-3-pentenoic acid lactone
282. 2-Hydroxy-4-methylbenzaldehyde
283. 4-Hydroxybutanoic acid lactone
284. Hydroxycitronellal
285. 6-Hydroxydihydrotheaspirane
286. 4-(para-Hydroxyphenyl)-2-butanone
287. Hyssop oil
288. Immortelle absolute and extract
289. alpha-Ionone
290. beta-Ionone
291. alpha-Irone
292. Isoamyl acetate
293. Isoamyl benzoate
294. Isoamyl butyrate
295. Isoamyl cinnamate
296. Isoamyl formate
297. Isoamyl hexanoate
298. Isoamyl isovalerate
299. Isoamyl octanoate
300. Isoamyl phenylacetate

301. Isobornyl acetate
302. Isobutyl acetate
303. Isobutyl alcohol
304. Isobutyl cinnamate
305. Isobutyl phenylacetate
306. Isobutyl salicylate
307. 2-Isobutyl-3-methoxypyrazine
308. alpha-Isobutyl phenethyl alcohol
309. Isobutyraldehyde
310. Isobutyric acid
311. d,l-Isoleucine
312. alpha-Isomethyl ionone
313. 2-Isopropylphenol
314. Isovaleric acid
315. Jasmine absolute, concrete and oil
316. Kola nut extract
317. Labdanum absolute and oleoresin
318. Lactic acid
319. Lauric acid
320. Lauric aldehyde
321. Lavandin oil
322. Lavender oil
323. Lemon oil and extract
324. Lemongrass oil
325. L-Leucine
326. Levulinic acid
327. Liquorice root, fluid, extract and powder
328. Lime oil
329. Linalool oxide
330. Linalyl acetate
331. Linden flowers
332. Lovage oil and extract
333. L-Lysine
334. Mace powder, extract and oil
335. Magnesium carbonate
336. Malic acid
337. Malt and malt extract
338. Maltodextrin
339. Maltol
340. Maltyl isobutyrate
341. Mandarin oil
342. Maple syrup and concentrate
343. Mate leaf, absolute and oil
344. para-Mentha-8-thiol-3-one
345. Menthol
346. Menthone
347. Menthyl acetate
348. dl-Methionine
349. Methoprene
350. 2-Methoxy-4-methylphenol
351. 2-Methoxy-4-vinylphenol
352. para-Methoxybenzaldehyde
353. 1-(para-Methoxyphenyl)-1-penten-3-one
354. 4-(para-Methoxyphenyl)-2-butanone
355. 1-(para-Methoxyphenyl)-2-propanone
356. Methoxypyrazine
357. Methyl 2-furoate
358. Methyl 2-octynoate
359. Methyl 2-pyrrolyl ketone
360. Methyl anisate
361. Methyl anthranilate
362. Methyl benzoate
363. Methyl cinnamate
364. Methyl dihydrojasmonate
365. Methyl ester of rosin, partially hydrogenated
366. Methyl isovalerate
367. Methyl linoleate (48%) and methyl linolenate (52%) mixture
368. Methyl naphthyl ketone
369. Methyl nicotinate
370. Methyl phenylacetate
371. Methyl salicylate
372. Methyl sulfide
373. 3-Methyl-1-cyclopentadecanone
374. 4-Methyl-1-phenyl-2-pentanone
375. 5-Methyl-2-phenyl-2-hexenal
376. 5-Methyl-2-thiophenecarboxaldehyde
377. 6-Methyl-3,5-heptadien-2-one
378. 2-Methyl-3-(para-isopropylphenyl) propionaldehyde
379. 5-Methyl-3-hexen-2-one
380. 1-Methyl-3-methoxy-4-isopropylbenzene
381. 4-Methyl-3-pentene-2-one
382. 2-Methyl-4-phenylbutyraldehyde
383. 6-Methyl-5-hepten-2-one
384. 4-Methyl-5-thiazoleethanol
385. 4-Methyl-5-vinylthiazole
386. Methyl-alpha-ionone
387. Methyl-trans-2-butenoic acid
388. 4-Methylacetophenone
389. para-Methylanisole
390. alpha-Methylbenzyl acetate
391. alpha-Methylbenzyl alcohol
392. 2-Methylbutyraldehyde
393. 3-Methylbutyraldehyde
394. 2-Methylbutyric acid
395. alpha-Methylcinnamaldehyde
396. Methylcyclopentenolone
397. 2-Methylheptanoic acid
398. 2-Methylhexanoic acid
399. 3-Methylpentanoic acid
400. 4-Methylpentanoic acid
401. 2-Methylpyrazine

402. 5-Methylquinoxaline
403. 2-Methyltetrahydrofuran-3-one
404. (Methylthio)methylpyrazine (mixture of isomers)
405. 3-Methylthiopropionaldehyde
406. Methyl 3-methylthiopropionate
407. 2-Methylvaleric acid
408. Mimosa absolute and extract
409. Molasses extract and tincture
410. Mountain maple solid extract
411. Mullein flowers
412. Myristaldehyde
413. Myristic acid
414. Myrrh oil
415. beta-Naphthyl ethyl ether
416. Nerol
417. Neroli bigarde oil
418. Nerolidol
419. Nona-2-trans,6-cis-dienal
420. 2,6-Nonadien-1-ol
421. gamma-Nonalactone
422. Nonanal
423. Nonanoic acid
424. Nonanone
425. trans-2-Nonen-1-ol
426. 2-Nonenal
427. Nonyl acetate
428. Nutmeg powder and oil
429. Oak chips extract and oil
430. Oakmoss absolute
431. 9,12-Octadecadienoic acid (48%) and 9,12,15-octadecatrienoic acid (52%)
432. delta-Octalactone
433. gamma-Octalactone
434. Octanal
435. Octanoic acid
436. 1-Octanol
437. 2-Octanone
438. 3-Octen-2-one
439. 1-Octen-3-ol
440. 1-Octen-3-yl acetate
441. 2-Octenal
442. Octyl isobutyrate
443. Oleic acid
444. Olibanum oil
445. Opoponax oil and gum
446. Orange blossom water, absolute, and leaf absolute
447. Orange oil and extract
448. Origanum oil
449. Orris concrete oil and root extract
450. Palmarosa oil
451. Palmitic acid
452. Parsley seed oil
453. Patchouli oil
454. omega-Pentadecalactone
455. 2,3-Pentanedione
456. 2-Pentanone
457. 4-Pentenoic acid
458. 2-Pentylpyridine
459. Pepper oil, black and white
460. Peppermint oil
461. Peruvian (Bois de Rose) oil
462. Petitgrain absolute, Mandarin oil, and terpeneless oil
463. alpha-Phellandrene
464. 2-Phenethyl acetate
465. Phenethyl alcohol
466. Phenethyl butyrate
467. Phenethyl cinnamate
468. Phenethyl isobutyrate
469. Phenethyl isovalerate
470. Phenethyl phenylacetate
471. Phenethyl salicylate
472. 1-Phenyl-1-propanol
473. 3-Phenyl-1-propanol
474. 2-Phenyl-2-butenal
475. 4-Phenyl-3-buten-2-ol
476. 4-Phenyl-3-buten-2-one
477. Phenylacetaldehyde
478. Phenylacetic acid
479. L-Phenylalanine
480. 3-Phenylpropionaldehyde
481. 3-Phenylpropionic acid
482. 3-Phenylpropyl acetate
483. 3-Phenylpropyl cinnamate
484. 2-(3-Phenylpropyl)tetrahydrofuran
485. Phosphoric acid
486. Pimenta leaf oil
487. Pine needle oil
488. Pine oil, Scotch
489. Pineapple juice concentrate
490. alpha-Pinene
491. beta-Pinene
492. D-Piperitone
493. Piperonal
494. Pipsissewa leaf extract
495. Plum juice
496. Potassium sorbate
497. L-Proline
498. Propenylguaethol
499. Propionic acid
500. Propyl acetate
501. Propyl para-hydroxybenzoate
502. Propylene glycol

503. 3-Propylidenephthalide
504. Prune juice and concentrate
505. Pyridine
506. Pyroligneous acid and extract
507. Pyrrole
508. Pyruvic acid
509. Raisin juice concentrate
510. Rhodinol
511. Rose absolute and oil
512. Rosemary oil
513. Rum
514. Rum ether
515. Rye extract
516. Sage, sage oil, and sage oleoresin
517. Salicylaldehyde
518. Sandalwood oil, yellow
519. Sclareolide
520. Skatole
521. Smoke flavour
522. Snakeroot oil
523. Sodium acetate
524. Sodium benzoate
525. Sodium bicarbonate
526. Sodium carbonate
527. Sodium chloride
528. Sodium citrate
529. Sodium hydroxide
530. Solanone
531. Spearmint oil
532. Styrax extract, gum and oil
533. Sucrose octaacetate
534. Sugar alcohols
535. Sugars
536. Tagetes oil
537. Tannic acid
538. Tartaric acid
539. Tea leaf and absolute
540. alpha-Terpineol
541. Terpinolene
542. Terpinyl acetate
543. 5,6,7,8-Tetrahydroquinoxaline
544. 1,5,5,9-Tetramethyl-13-oxatricyclo(8.3.0.0(4,9))tridecane
545. 2,3,4,5- and 3,4,5,6-Tetramethylethyl-cyclohexanone
546. 2,3,5,6-Tetramethylpyrazine
547. Thiamine hydrochloride
548. Thiazole
549. L-Threonine
550. Thyme oil, white and red
551. Thymol
552. Tobacco extracts
553. Tocopherols (mixed)
554. Tolu balsam gum and extract
555. Tolualdehydes
556. para-Tolyl 3-methylbutyrate
557. para-Tolyl acetaldehyde
558. para-Tolyl acetate
559. para-Tolyl isobutyrate
560. para-Tolyl phenylacetate
561. Triacetin
562. 2-Tridecanone
563. 2-Tridecenal
564. Triethyl citrate
565. 3,5,5-Trimethyl-1-hexanol
566. para,alpha,alpha-Trimethylbenzyl alcohol
567. 4-(2,6,6-Trimethylcyclohex-1-enyl)but-2-en-4-one
568. 2,6,6-Trimethylcyclohex-2-ene-1,4-dione
569. 2,6,6-Trimethylcyclohexa-1,3-dienyl methanal
570. 4-(2,6,6-Trimethylcyclohexa-1,3-dienyl)but-2-en-4-one
571. 2,2,6-Trimethylcyclohexanone
572. 2,3,5-Trimethylpyrazine
573. L-Tyrosine
574. delta-Undecalactone
575. gamma-Undecalactone
576. Undecanal
577. 2-Undecanone
578. 10-Undecenal
579. Urea
580. Valencene
581. Valeraldehyde
582. Valerian root extract, oil, and powder
583. Valeric acid
584. gamma-Valerolactone
585. Valine
586. Vanilla extract and oleoresin
587. Vanillin
588. Veratraldehyde
589. Vetiver oil
590. Vinegar
591. Violet leaf absolute
592. Walnut hull extract
593. Water
594. Wheat extract and flour
595. Wild cherry bark extract
596. Wine and wine sherry
597. Xanthan gum
598. 3,4-Xylenol
599. Yeast

Archival reconciliation and scope. These 599 numbered entries have been reconciled against the historical

numbered industry list dated 12 April 1994 (UCSF Industry Documents Library). Entries representing mixtures or grouped botanicals are retained as single historical list items; chemical synonyms such as diacetyl/2,3-butanedione and linalool/3,7-dimethyl-1,6-octadien-3-ol are not double-counted. Spelling, punctuation and capitalization have been editorially standardized. This is a historical list of possible manufacturing ingredients, not evidence that any single brand contained 599 additives and not an analytical inventory of cigarette smoke. [1]

Verification Notes — Publication Edition

1. **Archival basis:** 12 April 1994 six-company list, accessioned by UCSF, is the documentary authority for the historical 599 count. Appendix A was reconciled to 599 list items. An earlier working transcription had 601 bullets because it split certain grouped entries and repeated aliases while combining other distinct entries.
2. **Research design:** A critical documentary and scientific evidence synthesis. No quantitative effect-size pooling or formal systematic-review search protocol was conducted.
3. **Study scope:** The 2026 isotope experiment is experimental evidence of particular smoke-chemical precursor pathways, not an estimate of the percentage of smoking-related illness caused by additives.
4. **Historical versus current:** Manufacturer practices and regulatory obligations have changed; the 1994 ingredient list is not a present-day brand-specific composition inventory.
5. **Legal scope:** The federal tobacco RICO rulings establish specified deception and racketeering findings, not homicide or proof of specific knowledge about every listed additive.
6. **Publication limits:** Cross-references and key official sources were reviewed for this edition. The bibliography is a source trail rather than a representation that every original scientific dataset or archival page has received independent forensic authentication.

Bibliography

References

[1] UCSF Industry Documents Library. *Ingredients Added to Tobacco in the Manufacture of Cigarettes by the Six Major American Cigarette Companies*. 12 April 1994. Bates 608164265–608164314. Source: https://www.industrydocuments.ucsf.edu/tid/sjw19j00.

[2] Six Major American Cigarette Companies / Covington & Burling. *List of Ingredients Added to Tobacco in the Manufacture of Cigarettes (as of 31 December 1993)*. Confidential submission to U.S. Department of Health and Human Services. Source: https://www.industrydocuments.ucsf.edu/tid/ayy10e00.

[3] Wikipedia contributors. *List of additives in cigarettes*. Accessed 6 November 2026. Used as secondary transcription aid only. Source: https://en.wikipedia.org/wiki/List_of_additives_in_cigarettes.

[4] U.S. Department of Health and Human Services. *Reducing Tobacco Use: A Report of the Surgeon General*. Atlanta: CDC, 2000. Source: https://archive.cdc.gov/www_cdc_gov/tobacco/sgr/2000/highlights.html.

[5] U.S. Department of Health and Human Services. *How Tobacco Smoke Causes Disease: The Biology and Behavioral Basis for Smoking-Attributable Disease*. Atlanta: CDC, 2010. Source: https://www.ncbi.nlm.nih.gov/books/NBK53014/.

[6] National Cancer Institute. *Harms of Cigarette Smoking and Health Benefits of Quitting*. U.S. National Institutes of Health. Source: https://www.cancer.gov/about-cancer/causes-prevention/risk/tobacco/cessation-fact-sheet.

[7] Centers for Disease Control and Prevention. *American Indian and Alaska Native People and Commercial Tobacco: Health Disparities and Ways to Advance Health Equity*. 26 December 2023. Distinguishes traditional and commercial tobacco. Source: https://www.cdc.gov/tobacco-health-equity/collection/aian.html.

[8] Centers for Disease Control and Prevention. *Overview of Chemicals in Cigarette Smoke*. Updated 3 August 2026. Source: https://www.cdc.gov/environmental-exposure-report/about/overview-of-chemicals-in-cigarette-smoke.html.

[9] U.S. Food and Drug Administration. *Section 904 of the Federal Food, Drug, and Cosmetic Act: Submission of Health Information to the Secretary*. Source: https://www.fda.gov/tobacco-products/rules-regulations-and-guidance-related-tobacco-products/section-904-federal-food-drug-and-cosmetic-act-submission-health-information-secretary.

[10] U.S. Food and Drug Administration. *Harmful and Potentially Harmful Constituents*. Updated 2026. Source: https://www.fda.gov/tobacco-products/tobacco-products-ingredients-components/harmful-and-potentially-harmful-constituents-hphcs.

[11] U.S. Food and Drug Administration. *Determining the Regulatory Status of a Food Ingredient*. Source: https://www.fda.gov/food/food-ingredients-packaging/determining-regulatory-status-food-ingredient.

[12] U.S. Food and Drug Administration. *How U.S. FDA's GRAS Notification Program Works*. Source: https://www.fda.gov/food/generally-recognized-safe-gras/how-us-fdas-gras-notification-program-works.

[13] U.S. Food and Drug Administration. *Substances Added to Food (formerly EAFUS)*. Source: https://www.fda.gov/food/food-additives-petitions/substances-added-food-formerly-eafus.

[14] U.S. Food and Drug Administration. *Chemicals in Every Cigarette*. 2026. Source: https://www.fda.gov/tobacco-products/tobacco-products-ingredients-components/chemicals-every-cigarette.

[15] United States Code. 21 U.S.C. Chapter 9, Subchapter IX: definitions and tobacco-product provisions.

[16] United States Code. 15 U.S.C. §1335a. List of cigarette ingredients; confidentiality provisions.

[17] U.S. Food and Drug Administration. *Section 206 of the Tobacco Control Act: Tar, Nicotine, and Other Smoke Constituent Disclosure to the Public*. Source: https://www.fda.gov/tobacco-products/rules-regulations-and-guidance-related-tobacco-products/section-206-tobacco-control-act-tar-nicotine-and-other-smoke-constituent-disclosure-public.

[18] World Health Organization. *WHO Report on the Global Tobacco Epidemic, 2008: The MPOWER Package*. Geneva: WHO, 2008. Source: https://iris.who.int/handle/10665/43818.

[19] World Health Organization. *Tobacco and Nicotine*. Fact sheet, 2026. Source: https://www.who.int/en/news-room/fact-sheets/detail/tobacco.

[20] WHO Framework Convention on Tobacco Control. *Partial Guidelines for Implementation of Articles 9 and 10: Regulation of Contents and Tobacco Product Disclosures*. Source: https://fctc.who.int/resources/publications/m/item/regulation-of-the-contents-of-tobacco-products-and-regulation-of-tobacco-product-disclosures.

[21] Government of Canada. *Tobacco Reporting Regulations*, SOR/2000-273. Registered 26 June 2000 under the *Tobacco Act*, S.C. 1997, c. 13. Justice Laws website, https://laws-lois.justice.gc.ca/eng/regulations/SOR-2000-273/. Source: https://laws-lois.justice.gc.ca/eng/regulations/SOR-2000-273/.

[22] Health Canada. *Tobacco Products Appearance, Packaging and Labelling Regulations* (in force 1 August 2023; phased implementation to April 2025), as described in Health Canada, *Tobacco Product Labelling* and the news release *Canada to become first country in the world to require health warnings on individual cigarettes* (2023). Accessed 6 November 2026. Source: https://www.canada.ca/en/health-canada/services/health-concerns/tobacco/legislation/tobacco-product-labelling.html.

[23] European Parliament and Council. Directive 2014/40/EU of 3 April 2014 on the approximation of the laws, regulations and administrative provisions of the Member States concerning the manufacture, presentation and sale of tobacco and related products and repealing Directive 2001/37/EC, Articles 5–7. *Official Journal of the European Union*. Source: https://eur-lex.europa.eu/legal-content/EN/TXT/?uri=CELEX:32014L0040.

[24] European Commission. Commission Implementing Decision (EU) 2016/787 of 18 May 2016 laying down a priority list of additives contained in cigarettes and roll-your-own tobacco, C(2016) 2923. Source: https://eur-lex.europa.eu/legal-content/EN/TXT/?uri=CELEX:32016D0787.

[25] United Kingdom. *The Tobacco and Related Products Regulations 2016*, SI 2016/507, regulations 19–20B. Source: https://www.legislation.gov.uk/uksi/2016/507/regulation/19.

[26] Australian Government Department of Health, Disability and Ageing. *Tobacco product reporting requirements*. health.gov.au (page undated); accessed 6 November 2026. Source: https://www.health.gov.au/topics/smoking-vaping-and-tobacco/tobacco-control/tobacco-product-reporting-requirements.

[27] International Agency for Research on Cancer. *Tobacco Smoke and Involuntary Smoking*. IARC Monographs.

[28] Rabinoff, M., Caskey, N., Rissling, A., and Park, C. Pharmacological and chemical effects of cigarette additives. *American Journal of Public Health*. 2007;97(11):1981–1991. doi:10.2105/AJPH.2005.078014. DOI link: https://doi.org/10.2105/AJPH.2005.078014.

[29] Paschke, M., Hutzler, C., Henkler, F., and Luch, A. Oxidative and inert pyrolysis on-line coupled to gas chromatography with mass spectrometric detection: On the pyrolysis products of tobacco additives. *International Journal of Hygiene and Environmental Health*. 2016;219(8):780–791. doi:10.1016/j.ijheh.2016.09.002. DOI link: https://doi.org/10.1016/j.ijheh.2016.09.002.

[30] Pennings, J.L.A., Cremers, J.W.J.M., Becker, M.J.A., Klerx, W.N.M., and Talhout, R. Aldehyde and volatile organic compound yields in commercial cigarette mainstream smoke are mutually related and depend on the sugar and humectant content in tobacco. *Nicotine & Tobacco Research*. 2020;22(10):1748–1756. doi:10.1093/ntr/ntz203. DOI link: https://doi.org/10.1093/ntr/ntz203.

[31] Talhout, R., Opperhuizen, A., and van Amsterdam, J.G.C. Sugars as tobacco ingredient: Effects on mainstream smoke composition. *Food and Chemical Toxicology*. 2006. PMID:16904804. Source: https://pubmed.ncbi.nlm.nih.gov/16904804/.

[32] Visser, W.F., Klerx, W.N.M., Cremers, H.W.J.M., et al. Stable isotope labeling reveals that sugars are direct precursors to several toxicants and flavorings in cigarette smoke. *Nicotine & Tobacco Research*. 2026;28(8):1402–1411. doi:10.1093/ntr/ntag053. PMID:41848048. DOI link: https://doi.org/10.1093/ntr/ntag053.

[33] Carmines, E.L. Evaluation of the potential effects of ingredients added to cigarettes. Part 1: cigarette design, testing approach, and review of results. *Food and Chemical Toxicology*. 2002;40:77–91. doi:10.1016/S0278-6915(01)00084-9. DOI link: https://doi.org/10.1016/S0278-6915(01)00084-9.

[34] Rustemeier, K., Stabbert, R., Haussmann, H.J., Roemer, E., and Carmines, E.L. Evaluation of the potential effects of ingredients added to cigarettes. Part 2: chemical composition of mainstream smoke. *Food and Chemical Toxicology*. 2002;40(1):93–104. doi:10.1016/S0278-6915(01)00085-0. DOI link: https://doi.org/10.1016/S0278-6915(01)00085-0.

[35] Baker, R.R., Massey, E.D., and Smith, G. An overview of the effects of tobacco ingredients on smoke chemistry and toxicity. *Food and Chemical Toxicology*. 2004;42(Suppl):S53–S83. doi:10.1016/j.fct.2004.01.001. PMID:15072838. DOI link: https://doi.org/10.1016/j.fct.2004.01.001.

[36] Wertz, M.S., Kyriss, T., Paranjape, S., and Glantz, S.A. The toxic effects of cigarette additives: Philip Morris' Project MIX reconsidered—an analysis of documents released through litigation. *PLoS Medicine*. 2011;8(12):e1001145. doi:10.1371/journal.pmed.1001145. DOI link: https://doi.org/10.1371/journal.pmed.1001145.

[37] Hundall, Christopher F., Jr. *Free Nicotine/Ammonia Treatment of Tobacco*. Industry memorandum, UCSF Industry Documents Library, TID cru46b00 (Bates 505197081). The archival catalogue date and internal memorandum date differ; consult the original record. Source: https://www.industrydocuments.ucsf.edu/tid/cru46b00.

[38] United States v. Philip Morris USA Inc., 449 F.Supp.2d 1 (D.D.C. 2006), aff'd in relevant part, 566 F.3d 1095 (D.C. Cir. 2009). Source: https://www.justice.gov/civil/case-4.

[39] United States v. Philip Morris USA Inc., 566 F.3d 1095 (D.C. Cir. 2009). Source: https://www.justice.gov/civil/case-4.

[40] U.S. Department of Justice, Office of the Solicitor General. *Philip Morris USA Inc. v. United States—Brief in Opposition* (2010). Source: https://www.justice.gov/osg/brief/philip-morris-usa-inc-v-united-states-opposition.

[41] U.S. Department of Justice. *Tobacco Companies to Begin Issuing Court-Ordered Statements in Tobacco Racketeering Suit*. 2017. Source: https://www.justice.gov/archives/opa/pr/tobacco-companies-begin-issuing-court-ordered-statements-tobacco-racketeering-suit.

[42] Velicer, C. and Glantz, S.A. Hiding in the shadows: Philip Morris and the use of third parties to oppose ingredient disclosure regulations. *PLoS ONE*. 2015;10(12):e0142032. doi:10.1371/journal.pone.0142032. DOI link: https://doi.org/10.1371/journal.pone.0142032.

[43] Velicer, C. and Glantz, S.A. Documentary references and source-linked Philip Morris strategy records, *Hiding in the Shadows: Philip Morris and the Use of Third Parties to Oppose Ingredient Disclosure Regulations*, Supporting references and Methods, 2015. This citation refers to the archival documents identified in the paper, not to a separately authenticated single primary instrument. Full text: https://pmc.ncbi.nlm.nih.gov/articles/PMC4696670/.

[44] Lewis, M.J., Jeong, M., and Ackerman, C. Naturally similar: Natural American Spirit and Nat Sherman's new cigarette. *Tobacco Control*. 2020;29(e1):e161. doi:10.1136/tobaccocontrol-2019-055247. DOI link: https://doi.org/10.1136/tobaccocontrol-2019-055247.

[45] Jha, P. and Peto, R. Global effects of smoking, of quitting, and of taxing tobacco. *New England Journal of Medicine*. 2014;370:60–68. doi:10.1056/NEJMra1308383. DOI link: https://doi.org/10.1056/NEJMra1308383.

[46] GBD 2021 Tobacco Forecasting Collaborators. Forecasting the effects of smoking prevalence scenarios on years of life lost and life expectancy from 2022 to 2050: a systematic analysis for the Global Burden of Disease Study 2021. *The Lancet Public Health*. 2024. doi:10.1016/S2468-2667(24)00166-X. Source: https://pubmed.ncbi.nlm.nih.gov/39366729/. DOI link: https://doi.org/10.1016/S2468-2667(24)00166-X.

[47] University of California, San Francisco Library. *Industry Documents Library / Truth Tobacco Industry Documents*. Archive containing more than 16 million tobacco-industry items. Source: https://www.industrydocuments.ucsf.edu/tobacco/.

[48] RIVM (Netherlands National Institute for Public Health and the Environment). *News about tobacco and nicotine products: new publications*, entry of 18 March 2026 on Visser et al., *Nicotine & Tobacco Research*. Accessed 6 November 2026.