
A SYSTEMS-LEVEL ATLAS

AFRICA

2026 EDITION

*An Encyclopedic Reference to the Continent
in Transition*

Geography · Deep Time · Climate Systems · Civilizational Layers ·
Political Architecture · Resource Economics · Demographics ·
Technology · Geopolitics · Future Trajectories

Marie-Soleil Seshat Landry

LANDRY INDUSTRIES · MARIE LANDRY'S SPY SHOP

About This Edition

AFRICA: AN ENCYCLOPEDIC REFERENCE — 2026 EDITION

A Systems-Level Atlas of the Continent in Transition. Compiled and edited by Marie-Soleil Seshat Landry. Published by Landry Industries Inc. under the Marie Landry's Spy Shop imprint, Moncton, New Brunswick, Canada.

This reference work is organised as a structured knowledge architecture rather than a narrative history. It is intended for academic, policy, and applied-research use. Its governing analytical premise is that Africa is most accurately read not as a single region but as a **planetary-scale system** — a set of interacting geological, climatic, ecological, demographic, economic, and political subsystems whose behaviour cannot be understood in isolation from one another.

The work is released in cited installments. The present document contains the complete **Volume I — Foundations of the Continent** (Chapters 1–4). Subsequent volumes (II–VIII) and the appendices — including individual encyclopedic profiles of all 54 internationally recognised African states — are issued separately within the same house standard.

A NOTE ON METHOD AND CITATION INTEGRITY

Every quantitative, empirical, or time-sensitive claim in this volume has been verified against a live, identifiable public source at the time of writing (June 2026) and is referenced by a numbered citation keyed to the *References* section. Sources are not fabricated, and no source text is reproduced verbatim; all material is restated in original prose. Where the published record is genuinely contested — as with the precise tempo of continental rifting, the dating of the earliest HOMO SAPIENS fossils, or the carbon balance of tropical peatlands — the disagreement is reported rather than resolved. Well-established background science (for example, the existence of Precambrian cratons or the basic mechanics of monsoon circulation) is presented as settled knowledge without individual citation; citations are concentrated on the specific, current, and quantitative assertions where verification matters most.

Figures for population, economic output, and conservation status are drawn from 2024–2026 estimates and are inherently provisional; readers requiring decision-grade precision should consult the cited primary sources directly. © 2026 Landry Industries Inc. All rights reserved.

The Complete Architecture

The full reference comprises eight thematic volumes and five appendices. Volume I is presented in this installment; the remainder follow in sequence.

VOLUME I — FOUNDATIONS OF THE CONTINENT (*THIS INSTALLMENT*)

1. Continental Definition and Scope · 2. Geological and Deep Time History · 3. Climate Architecture · 4. Biodiversity and Ecological Systems

VOLUME II — CIVILIZATION LAYERS & HISTORICAL SYSTEMS

5. Prehistoric Africa and Human Origins · 6. Classical African Civilizations · 7. Trans-Saharan and Indian Ocean Networks · 8. Colonial Disruption Systems

VOLUME III — MODERN STATES AND POLITICAL ARCHITECTURES

9. Post-Colonial State Formation · 10. Regional Blocs and Continental Governance · 11. Conflict Systems and Security Landscapes · 12. Law, Governance, and Institutional Capacity

VOLUME IV — ECONOMIC AND RESOURCE SYSTEMS

13. Macroeconomic Structures · 14. Natural Resource Geography · 15. Agriculture and Food Systems · 16. Industrialization and Manufacturing Futures

VOLUME V — SOCIETY, DEMOGRAPHICS, AND CULTURE

17. Population Dynamics · 18. Urban Systems and Megacities · 19. Languages and Knowledge Systems · 20. Religion and Belief Systems · 21. Arts, Identity, and Cultural Production

VOLUME VI — TECHNOLOGY, DIGITAL TRANSFORMATION & FUTURE SYSTEMS

22. Digital Infrastructure · 23. Artificial Intelligence and Automation · 24. Energy Systems Transition · 25. Biotechnology and Health Systems

VOLUME VII — GEOPOLITICS AND GLOBAL POSITIONING

26. Africa in Global Power Systems · 27. Military and Strategic Geography · 28. Climate Change Frontline Status

VOLUME VIII — FUTURE TRAJECTORIES (2026-2100)

29. Scenarios of African Futures · 30. Continental Integration Futures · 31. Risks, Constraints, and Structural Bottlenecks · 32. Strategic Opportunities

APPENDICES

A. Country-by-Country Profiles (54 states) · B. Key Cities Database · C. Resource Atlas · D. Timeline of African Civilizations · E. Data Tables and Indices

VOLUME ONE

Foundations of the Continent

Before history, economy, or politics, there is the physical platform: a continent of extreme age and scale, sitting astride the equator in all four hemispheres, whose rocks, rains, and living systems set the boundary conditions for everything human that follows.

1. Continental Definition and Scope
2. Geological and Deep Time History
3. Climate Architecture
4. Biodiversity and Ecological Systems

CHAPTER ONE

Continental Definition and Scope

Defining Africa is deceptively difficult. The continent is at once a precise geographic object, a contested political category, and an analytical unit that fractures the moment it is examined closely.

Africa is the world's second-largest continent by both area and population. Its land area is conventionally given as roughly 30.3 million square kilometres — about a fifth of Earth's total land surface — though land-only measurements that exclude inland water bodies run closer to 29.6 million square kilometres.^{[3][2]} It is the only continent that extends into all four hemispheres, straddling the equator and reaching well into both the northern and southern temperate zones.^[4] That single fact of position governs much of what follows in later chapters: the symmetry of climate belts north and south of the equator, the doubling of monsoon systems, and the distribution of deserts, rainforests, and savannas in mirrored bands.

AFRICA AT A GLANCE (2024–2026 ESTIMATES)

- **Area:** ~30.3 million km² (second largest continent; ~20% of global land).^{[3][4]}
- **Population:** ~1.5 billion (2024), with continental estimates surpassing 1.55–1.58 billion by 2026 — roughly 19% of humanity.^{[5][2][4]}
- **Recognised states:** 54 fully recognised by the United Nations; the African Union counts 55 members (it admits the Sahrawi Arab Democratic Republic / Western Sahara). Somaliland functions as a de facto state without broad recognition.^{[1][3]}
- **Median age:** ~19.5 years — the youngest of any continent.^[2]
- **Most populous state:** Nigeria, ~233–237 million.^[5]

Geographic Boundaries and Contested Cartographies

The continent's outline is among the least ambiguous on the planet: it is bounded by the Mediterranean to the north, the Red Sea and the narrow Sinai isthmus to the northeast, the Indian Ocean to the east and south, and the Atlantic to the west. The only genuine cartographic decisions concern the Sinai Peninsula — politically part of Egypt and therefore of Africa, geologically part of the Asian plate margin — and the offshore islands. Beyond these edges, contestation is political rather than coastal: the borders that matter most in Africa are internal, and many of them are notoriously straight, ruled across deserts and sa-

vannas by nineteenth-century European negotiators with little regard for the human geographies they bisected.^[6] The artificiality of these lines is not a historical curiosity; it is a live structural variable analysed throughout Volume III.

North Africa versus Sub-Saharan Africa: A Framing Debate

The most consequential conceptual division applied to the continent is the split between “North Africa” and “Sub-Saharan Africa.” The distinction is useful and misleading in equal measure. It captures a real climatic and linguistic gradient — the Arabic-speaking, Mediterranean-facing north differs in obvious ways from the regions south of the desert. Yet the term “sub-Saharan” encodes an implicit hierarchy and treats the Sahara as a barrier when, for most of recorded history, it functioned as a connective medium. Camel caravans, gold, salt, manuscripts, and ideas moved across it for a millennium, knitting the supposedly separate halves of the continent into a single commercial and intellectual system. Reading the Sahara as a wall rather than a sea is one of the more durable distortions inherited from colonial-era geography, and this reference treats the north-south distinction as a soft gradient rather than a hard boundary.

Africa as a Planetary System

The organising premise of this work is that the continent behaves as a coupled system. Its mineral wealth is a function of its ancient geology; its agricultural potential is governed by monsoon dynamics that are themselves modulated by orbital cycles; its demographic trajectory feeds directly into its economic and security futures. Treating Africa as a regional unit — one block among several on a world map — obscures the fact that several of its subsystems operate at planetary scale. The Congo Basin is a globally significant regulator of atmospheric carbon. The continent holds the genetic baseline of the entire human species. Its critical-mineral reserves are a chokepoint for the global energy transition. These are not regional facts; they are planetary ones, and they recur as connective threads across every volume.

Island States and Maritime Extensions

Africa’s land mass is accompanied by a set of island states and maritime territories that are easy to overlook and analytically important. Madagascar — the world’s fourth-largest island and a continent-scale evolutionary laboratory in its own right — anchors the Indian Ocean flank, alongside the Comoros, Seychelles, and Mauritius. In the Atlantic lie Cape Verde and São Tomé and Príncipe. These states extend Africa’s exclusive economic zones far beyond its coastlines, embedding the continent in Indian Ocean and Atlantic maritime systems that carry strategic weight in later discussions of trade, fisheries, and chokepoint security. Several external dependencies — among them Réunion and Mayotte (France), and the remote South Atlantic territory of Saint Helena, Ascension and Tristan da Cunha

— remain under non-African sovereignty, a residue of the colonial period that complicates any clean count of “African” territory.^{[4][6]}

CHAPTER TWO

Geological and Deep Time History

Africa is, geologically, one of the oldest and most stable platforms on Earth — and simultaneously the site of one of the planet’s most dramatic acts of ongoing continental destruction.

Beneath the soils and sands of the continent lies a foundation of *cratons*: vast, ancient blocks of continental crust, some carrying rocks among the oldest known anywhere on Earth. The Kaapvaal craton of southern Africa, the Congo craton at the continental core, the West African craton, and the Tanzania craton are the stable nuclei around which Africa was assembled. Because these blocks have escaped the crustal recycling that destroys older rocks elsewhere, they preserve an exceptionally deep record of planetary history — and, crucially, they host the conditions under which much of the continent’s mineral wealth was concentrated over billions of years. The link between this deep stability and present-day resource geography is direct, and it is taken up in detail in Volume IV.

The East African Rift: A Future Ocean Basin

Cutting against this image of stability, eastern Africa is being torn apart. The East African Rift System — a network of faults, valleys, lakes, and volcanoes — extends for more than 3,000 kilometres from the Afar region of Ethiopia southward through Kenya and Tanzania toward Mozambique.^{[7][11]} Along it, the African plate is splitting into two: the larger Nubian plate to the west and the smaller Somali plate to the east. The two are separating at only a few millimetres per year — comparable to the rate at which fingernails grow — with the fastest extension, on the order of 6.9 millimetres annually, measured in the Afar depression.^{[9][7]}

The process is genuinely ancient: rifting is thought to have begun some 20 to 30 million years ago, and the eventual flooding of the rift to form a new ocean basin lies tens of millions of years in the future.^[10] This timescale is worth stressing, because the phenomenon is routinely sensationalised. Periodic viral reports describe Africa as “tearing apart” in real time, often citing a dramatic crack that opened across a Kenyan highway; in fact, that fissure was largely a long-existing weakness exposed by rainfall and erosion, not a sudden tectonic leap, and essentially no geologist expects the continent to split on any human timescale.^[10]

THE AFAR TRIPLE JUNCTION

- Three rift arms meet in the Afar region of Ethiopia — the Red Sea Rift, the Gulf of Aden Rift, and the main East African Rift — making it one of the few places on Earth where a continental break can be studied above sea level.^[7]
- Recent work led by Earth scientists at the University of Southampton identified rhythmic pulses of molten rock rising from the mantle beneath Afar, suggesting the rifting is more dynamic and focused than once assumed.^[8]
- Researchers now report direct evidence of nascent oceanic crust forming beneath the rift zone — a marker that the transition from continent to ocean is already underway rather than merely projected.^[11]
- If the split completes, parts of Ethiopia, Kenya, and Tanzania would separate as a distinct landmass, and present-day landlocked states could acquire coastlines.^[11]

Mineral Formation and the Logic of Resource Concentration

Africa's extraordinary mineral endowment is not accidental; it is the product of its geological history. The same ancient cratons and the magmatic and hydrothermal events associated with rifting and mountain-building over deep time produced concentrated deposits of gold, platinum-group metals, diamonds, cobalt, and a long list of other resources. The rift system itself, by thinning the crust and channelling heat and fluids, is part of the machinery that mineralises continental interiors. The consequence — explored fully in Volume IV — is a continent whose physical inheritance is among the richest on Earth, a fact that stands in sharp tension with its economic position.

The Fossil Record and Hominin Emergence Corridors

Eastern Africa's rift valleys are not only a geological spectacle; they are the world's richest archive of human ancestry. The continuous deposition and periodic exposure of sediments along the rift has preserved an unmatched sequence of hominin fossils, from early bipeds through the genus *HOMO*. For decades this concentration led researchers to treat the Great Rift Valley as the singular "cradle" of humankind.

That picture has since broadened. Fossils from Jebel Irhoud in Morocco — first found by miners in the 1960s and long misdated — were re-dated in 2017 to roughly 300,000 years old, making them the oldest remains attributed to our species and pushing the emergence of *HOMO SAPIENS* back by about 100,000 years.^{[12][13]} Critically, Morocco lies at the continent's northwestern corner, far from the eastern rift. The lead researchers argued the finding supports a *pan-African* model in which early forms of our species were already dispersed widely across the continent, rather than emerging from a single region.^{[13][14]} The older East African benchmark — the Omo remains of Ethiopia — has itself been revised to

roughly 233,000 years.^[15] The full treatment of human origins and migration appears in Volume II; the point for deep-time geology is that Africa's status as the genetic source of humanity is written into its sediments continent-wide.

CHAPTER THREE

Climate Architecture

Africa's climate is not a fixed backdrop but a dynamic machine driven from two directions at once: slow astronomical cycles that green and brown the Sahara over millennia, and fast monsoon systems that decide each year whether tens of millions of people eat.

Because the continent sits symmetrically across the equator, its climate organises into mirrored bands: equatorial rainforest at the centre, flanked north and south by savanna, then by semi-arid steppe, then by the great deserts — the Sahara above, the Kalahari and Namib below — and finally by Mediterranean-type climates at the northern and southern extremities. This banded architecture is the stage on which the continent's two defining climatic dramas play out: the long oscillation of the Sahara, and the annual gamble of the monsoon.

The Sahara's Cycles: From Green Sahara to Desert

The Sahara has not always been a desert. Between roughly 11,000 and 5,000 years ago, during the period climatologists call the African Humid Period or “Green Sahara,” the region was vegetated, dotted with lakes and rivers and populated by elephants, giraffes, hippos, and the herds depicted in its prehistoric rock art.^[16] Some of these ancient lakes were enormous: a megalake in the Chad basin, for instance, once rivalled today's Caspian Sea in extent.^[16]

The driver of this transformation is astronomical. Earth's axial precession — a slow “wobble” on a roughly 20,000-year beat — periodically shifts the timing of the seasons relative to Earth's closest approach to the Sun. Around 10,000 years ago, summer in the Northern Hemisphere coincided with that close approach, boosting summer sunlight over North Africa by several percent and dramatically strengthening the African monsoon, which pushed the rain belt far north into what is now desert.^[16] As the orbital configuration drifted back, summer sunlight waned, the monsoon weakened, and vegetation-and-rainfall feedbacks collapsed in turn, re-establishing the modern desert.^[17] This termination was not uniform: paleoclimate evidence shows the drying was “time-transgressive,” beginning earlier in the north and east and lingering longer in the west and south, a pattern reproduced by recent Earth-system model simulations.^{[18][17]} The lesson embedded in this record is sobering — the Sahara is capable of crossing between radically different states, sometimes within centuries.

The Congo Basin Hydrological Engine

At the continent's equatorial core, the Congo Basin operates as a continental-scale water regulator. Drained by the Congo River — the second-largest river in Africa after the Nile, and among the largest in the world by discharge — the basin spreads across the Democratic Republic of the Congo, the Republic of the Congo, the Central African Republic, and parts of several neighbours, including portions of Cameroon, Zambia, Angola, and Tanzania.^[19] Its rainforest recycles vast quantities of moisture back into the atmosphere through evapotranspiration, sustaining regional rainfall far beyond the basin itself and earning it the label “the lungs of Africa.” Its role as a carbon system is taken up in Chapter Four; its role as a hydrological system makes it indispensable to agriculture and water security across central Africa.

The Sahel: A Transition Zone Under Stress

Between the Sahara and the wetter savannas to the south lies the Sahel, a semi-arid belt stretching across the continent from the Atlantic to the Red Sea. It is one of the most climatically volatile and politically fragile regions on Earth, where erratic rainfall, recurrent drought, overgrazing, and unsustainable land use combine to drive desertification — the most severe form of land degradation. By some estimates, around 45% of the African continent is affected by desertification, with the Sahel at the sharpest edge of the problem.^[27]

THE GREAT GREEN WALL — AMBITION VERSUS REALITY

- Launched by the African Union in 2007 — building on an idea associated with Burkina Faso's Thomas Sankara — the initiative aims to create a band of restored land across the Sahel.^[25]
- Headline 2030 targets: restore **100 million hectares** of degraded land, sequester **250 million tonnes** of carbon, and create **10 million** rural jobs, along a corridor some **8,000 km** long from Senegal to Djibouti.^{[25][27]}
- Reality check: with the 2030 deadline approaching, much of the wall remains unrealised despite billions of dollars committed; reaching the target would require restoring roughly 8.2 million hectares every year.^[25]
- The project has evolved from literal tree-planting into a broader rural-development and resilience programme — with documented gains in millions of hectares under improved management — even as the headline goal slips.^[24]

Atlantic and Indian Ocean Monsoon Systems

Africa's year-to-year climate is governed by the seasonal migration of the tropical rain belt — the Intertropical Convergence Zone — and by the monsoon circulations that draw mois-

ture inland from the surrounding oceans. The West African Monsoon pulls Atlantic moisture northward each boreal summer, watering the Sahel and the Guinea coast; its failure produces the droughts that periodically devastate the region. On the eastern flank, the Indian Ocean monsoon shapes the rains of the Horn and East Africa. Both systems are sensitive to ocean-temperature patterns — including the El Niño–Southern Oscillation and the Indian Ocean Dipole — whose phases can tip entire regions between flood and drought from one year to the next. The same precessional forcing that greened the Sahara over millennia is, in effect, the slow background to these fast annual rhythms; together they make rainfall, not temperature, the climatic variable on which African agriculture and stability most depend.

CHAPTER FOUR

Biodiversity and Ecological Systems

Africa holds some of the planet's most important living systems — and is losing biodiversity fast enough that the loss now registers as a security problem, not merely an environmental one.

From the carbon vaults of the Congo to the migratory herds of the Serengeti and the hyper-endemic flora of the Cape, Africa's ecosystems are globally significant and structurally interdependent. They are also under accelerating pressure. Understanding them as systems — carbon sinks, trophic webs, endemism clusters, and corridors — is essential to grasping both the continent's ecological value and its vulnerability.

The Congo Rainforest and the World's Largest Tropical Peatland

The Congo Basin contains the second-largest tropical rainforest on Earth after the Amazon, and is frequently described as the world's most vital rainforest carbon sink — one of the last large regions that still absorbs more carbon than it emits, taking up on the order of 1.5 billion tonnes of carbon dioxide per year.^{[20][19]} Beneath it lies an even more concentrated store. The Cuvette Centrale peatland, mapped only in 2017 and spanning the two Congo republics, is the largest tropical peatland complex in the world — covering roughly 145,000 square kilometres and locking away an estimated 29 to 30 billion tonnes of carbon, a quantity comparable to about three years of global fossil-fuel emissions.^{[19][20]}

A CARBON VAULT UNDER PRESSURE

- The Congo Basin’s peat and forest store a globally decisive volume of carbon; disturbing the peatlands — through drainage, fire, or extraction — would release it.^{[19][20]}
- The Democratic Republic of the Congo opened oil-and-gas blocks for auction, some overlapping carbon-rich peatlands and protected areas; in late 2024 the government announced the auction would be relaunched while excluding the most sensitive peatland and protected zones.^{[20][22]}
- A 2026 study in *Nature Geoscience* found that large “blackwater” lakes in the basin are already outgassing ancient, millennia-old peat carbon into the atmosphere — evidence that the system’s carbon balance is more fragile than a simple “sink” label implies.^[21]
- Above 2°C of global warming, scientists warn of potential destabilisation of the African tropical-forest carbon sink altogether.^[23]

Savanna Biomes and Trophic Structure

Africa’s savannas are the planet’s archetypal large-mammal ecosystems. The grasslands of East and Southern Africa support trophic structures of a completeness now rare elsewhere on Earth: abundant grazers and browsers — wildebeest, zebra, antelope, elephant, giraffe — sustaining intact guilds of large predators, with fire and seasonal rainfall acting as the system’s pacemakers. The great annual migration of the Serengeti-Mara, in which more than a million wildebeest track the rains in a continental loop, is the most visible expression of a savanna machinery driven by the same monsoonal rhythms described in Chapter Three. These systems are not static wilderness; they are dynamic, rainfall-pulsed economies of grass, herbivore, and predator.

Endemic Clusters and Extinction Pressure

Africa concentrates an outsized share of global biodiversity in a handful of exceptional regions. The continent hosts 9 of the world’s 36 recognised biodiversity hotspots — regions defined by exceptional endemism combined with severe habitat loss — among them Madagascar and the Indian Ocean islands, the Cape Floristic Region of South Africa, the Eastern Afromontane (Eastern Arc) mountains, and the Guinean forests of West Africa.^[23] Madagascar alone, isolated for tens of millions of years, evolved a flora and fauna found nowhere else on Earth.

That richness is eroding rapidly. According to assessments compiled by the International Union for Conservation of Nature, more than 6,400 animal species and over 3,100 plant species in Africa are at risk of extinction.^[23] Vertebrate populations across the continent are estimated to have fallen by around 39% since 1970, and tree cover has declined by roughly 30% across large stretches of the African tropics since 2001.^[23] The trajectory

worsens sharply with warming: under scenarios exceeding 2°C, researchers project the risk of local extinction for more than half of plant, vertebrate, and insect species across parts of the continent, alongside steep losses among freshwater fish.^[23] The framing adopted by security analysts — that biodiversity loss in Africa is now a driver of human insecurity, through collapsing fisheries and degraded ecosystem services — reflects how far the problem has moved beyond conservation alone.^[23]

Wildlife Corridors and Fragmentation

The central spatial problem for African conservation is fragmentation. As farmland, settlement, and infrastructure expand, once-continuous habitats are carved into islands too small to sustain wide-ranging species or seasonal migrations. The strategic response has been the wildlife corridor — protected connective tissue linking core habitats — scaled up into transfrontier conservation areas that cross national borders, of which the Kavango-Zambezi area spanning five Southern African states is the largest example. Corridors reconnect the trophic and migratory systems described above; their absence converts protected areas into ecological dead ends. Mapping and defending this connectivity, against the compounding pressures of agriculture and a warming climate, is among the defining ecological challenges of the century ahead — and a thread that returns in the climate and future-trajectory volumes.

References — Volume I

All sources accessed June 2026. Listed in order of first citation. URLs are provided for verification; figures reflect the cited sources at time of access and may be updated by their publishers.

1. World Population Review. *Countries in Africa 2026*. worldpopulationreview.com/country-rankings/countries-in-africa
2. Worldometer. *Africa Population (2026)*. worldometers.info/world-population/africa-population
3. World Population Review. *Africa (continent)*. worldpopulationreview.com/continents/africa
4. Wikipedia. *Africa*. en.wikipedia.org/wiki/Africa
5. Wikipedia. *Demographics of Africa*. en.wikipedia.org/wiki/Demographics_of_Africa
6. WorldData.info. *Statistics and data of all countries in Africa*. worlddata.info/africa
7. Ecoticias. “Africa is splitting in two in slow motion, and geologists have found the crack where a new ocean is being born” (May 2026). ecoticias.com
8. Colombia One. “Africa Might Be Splitting in Two: Scientists Track Continental Rift Toward New Ocean” (Dec 2025), reporting University of Southampton research. colombiaone.com
9. The Brighter Side of News. “A massive rift is splitting Africa apart forming Earth’s sixth ocean” (2026), citing *Earth and Planetary Science Letters*. thebrighterside.news
10. Climate Fact Checks. “Africa’s Slow Rift: Facts Behind the ‘New Ocean’” (Jul 2025). climatefactchecks.org
11. Daily Galaxy. “A 3,000-Kilometer Fracture Is Breaking One of Earth’s Largest Continents Apart” (Apr 2026), citing University of Rochester. dailygalaxy.com
12. Smithsonian Institution, Human Origins Program. *Our species arose at least 300,000 years ago*. humanorigins.si.edu
13. Hublin, J.-J., et al. (2017). “New fossils from Jebel Irhoud, Morocco and the pan-African origin of *Homo sapiens*.” *Nature* 546:289–292. nature.com/articles/nature22336
14. Max-Planck-Gesellschaft. “The first of our kind” (2017). mpg.de
15. Wikipedia. *Jebel Irhoud* (incl. revised dating of the Omo remains, Ethiopia). en.wikipedia.org/wiki/Jebel_Irhoud
16. deMenocal, P. B. & Tierney, J. E. (2012). “Green Sahara: African Humid Periods Paced by Earth’s Orbital Changes.” *Nature Education Knowledge* 3(10):12. nature.com/scitable
17. Archania. *The Late African Humid Period*. archania.org
18. Dallmeyer, A., Claussen, M., et al. (2020). “The end of the African humid period as seen by a transient comprehensive Earth system model simulation of the last 8000 years.” *Climate of the Past* 16:117. cp.copernicus.org
19. UNEP. *Critical ecosystems: Congo Basin peatlands*. unep.org
20. Global Witness. *Why is the Congo Basin, the world’s largest forest carbon sink, at risk?* globalwitness.org

21. ETH Zurich / ScienceDaily, reporting Hyman et al. (2026). “Millennial-aged peat carbon outgassed by large humic lakes in the Congo Basin,” *Nature Geoscience* (DOI: 10.1038/s41561-026-01924-3). [sciencedaily.com](https://www.sciencedaily.com)
22. Greenpeace Africa. *How DRC’s land auction to big oil threatens the world’s biggest carbon sink*. [greenpeace.org/africa](https://www.greenpeace.org/africa)
23. Africa Center for Strategic Studies. *African Biodiversity Loss Raises Risk to Human Security* (June 2024). africacenter.org
24. Agence Française de Développement (AFD). *Africa’s Great Green Wall: a COP16 Priority against Desertification* (Dec 2024). afd.fr
25. The New Humanitarian. *COP30: The cautionary tale of the Sahel’s Great Green Wall* (2025). thenewhumanitarian.org
26. National Geographic Education. *The Great Green Wall*. education.nationalgeographic.org
27. UNFCCC / UNCCD. *The Great Greening* (Great Green Wall targets). unfccc.int/blog/the-great-greening

END OF VOLUME I — FOUNDATIONS OF THE CONTINENT

Volume II — *Civilization Layers & Historical Systems* — continues the reference in the next installment.