
Hey Asshole, Don't Kill the Bees: A Citizen's Guide to Saving Our Most Important Pollinators

By Marie-Soleil Seshat Landry with Gemini-FullBook

Published by MarieLandrySpyShop.com




Table of Contents

Part I: The Bee Crisis - Understanding the Stakes

- **Chapter 1: The World's Most Essential Workers**
 - 1.1 A Day in the Life of a Bee (Honey, Bumble, Solitary)
 - 1.2 The Economic Engine: Pollination and Our Food Supply
 - 1.3 The Ecological Keystone: Bees and Biodiversity
- **Chapter 2: What's Happening to the Bees?**
 - 2.1 Colony Collapse Disorder (CCD) and Its Legacy
 - 2.2 The 'Four Ps' of Bee Decline: Pesticides, Parasites, Poor Nutrition, and Pathogens
 - 2.3 Climate Change: A Growing Threat

Part II: The Main Threat - A Deep Dive into Pesticides

- **Chapter 3: The Silent Killer: Neonicotinoids**
 - 3.1 What are Neonicotinoids (Neonics)?
 - 3.2 How Neonics Affect Bees (Navigation, Reproduction, and Immune System)
 - 3.3 Regulatory Responses and Global Bans
- **Chapter 4: Other Chemical Culprits**
 - 4.1 The Role of Herbicides (e.g., Glyphosate)
 - 4.2 Fungicides and Their Unforeseen Effects
 - 4.3 Understanding Acute vs. Chronic Exposure

Part III: Citizen Action - How You Can Help

- **Chapter 5: Planting for Pollinators: The Bee Garden**
 - 5.1 Creating a Bee-Friendly Habitat (Year-round Blooms)
 - 5.2 Native Plants: The Best Food Source
 - 5.3 Water, Shelter, and Nesting Sites
- **Chapter 6: Chemical-Free Living and Advocacy**
 - 6.1 Eliminating Pesticides from Your Yard and Garden
 - 6.2 Safe Pest Management Alternatives
 - 6.3 Buying Bee-Friendly: What to Look for at the Grocery Store
- **Chapter 7: Scaling Up: Community and Policy**
 - 7.1 Starting a Local Bee Initiative (Bee City USA, etc.)
 - 7.2 Supporting Beekeepers and Farmers
 - 7.3 Advocating for Stronger Environmental Policies

Part IV: Conclusion

- **Chapter 8: The Future of Pollination**
 - 8.1 Innovative Solutions and Research
 - 8.2 A Call to Action: Why Saving Bees Saves Us
 - 8.3 Final Thoughts: Hope and Sustained Effort
-

Part I: The Bee Crisis - Understanding the Stakes

Chapter 1: The World's Most Essential Workers

1.1 A Day in the Life of a Bee (Honey, Bumble, Solitary)

You might think of a **bee** as just that—a flying insect that stings. But if that's all you see, you're missing the essential, diverse truth. There are over **20,000 known bee species** worldwide, and they don't all look like the fuzzy yellow-and-black **European Honey Bee** (*Apis mellifera*) [^1]. We're talking about a wildly diverse, specialized workforce that sustains our planet.

Honey Bees are the highly organized corporate structures—social, cooperative, living in massive perennial colonies that house tens of thousands. A worker bee's life is a brutal, three-to-six-week grind. They start inside as cleaners and nurses, move up to guard duty, and only in their final, dangerous phase become **foragers** [^2]. This is when they collect **nectar** (energy) and **pollen** (protein), transferring life-sustaining pollen from flower to flower—the definition of pollination.

Bumble Bees (*Bombus spp.*) are the tougher, local outfits. They are also social but their colonies are small and annual, meaning only the mated queen survives winter. Their bulk and fuzziness make them cold-weather specialists. More importantly, they invented "**buzz pollination**" (or sonication), vibrating the flower until it drops its pollen. This technique is non-negotiable for crops like **tomatoes** and **potatoes** [^3].

Solitary Bees, like **mason bees** and **leafcutter bees**, are the hardcore freelancers, making up the vast majority of species. No hive, no honey, no worker caste. The female does everything herself: finds a nest (a hole in wood or ground), stocks it with food, lays an egg, seals it, and moves to the next one [^4]. These bees are **super-pollinators** because they carry pollen dry and loosely all over their bodies, dusting every flower they touch. One mason bee can do the job of 100 honey bees [^5]. They are the silent, critical backbone of the system.

1.2 The Economic Engine: Pollination and Our Food Supply

If you like eating, you need to care about bees. It's that simple. Without them, the global food system collapses.

Bees are responsible for **one in every three bites of food** you put in your mouth [^6]. We're not talking about minor spices; we're talking about the food that matters: **almonds** (100% dependent), **apples**, **blueberries**, and virtually all squash, melons, and pumpkins. Globally,

the economic contribution of pollinators is estimated to be between **\$235 and \$577 billion annually** [^7]. In the U.S. alone, honey bee pollination is valued at over **\$15 billion** every year [^8].

When bee populations crash, the first foods to disappear are the ones that provide essential micronutrients—**Vitamin C, Vitamin A, calcium, and fluorine** [^9]. Losing the bees doesn't just make our plates boring; it threatens global nutritional stability, especially in developing nations that rely on highly bee-dependent crops for staples. **Saving the bees is saving our dinner plate.**

1.3 The Ecological Keystone: Bees and Biodiversity

You need to understand that bees are not just agricultural laborers; they are **keystone species** in the wild [^10]. This means their impact on the environment is massive and disproportionate to their size.

Bees are the engine for the reproduction of wildflowers, trees, and shrubs that form the base of every functioning ecosystem. The flowers they pollinate produce the fruits and seeds that feed every other creature in the food web: birds, deer, small mammals, and other insects. If the plants don't reproduce, the whole system starves [^11].

Many native bees are also **highly specialized**, having co-evolved with a specific set of native plants. The plant **cannot reproduce without that bee**, and in some cases, the bee **cannot survive without that plant** [^12]. When you kill a bee, you're not just killing an insect; you're yanking out a critical, interlocking component of biodiversity, guaranteeing the loss of a specific native plant species next.

Chapter 2: What's Happening to the Bees?

2.1 Colony Collapse Disorder (CCD) and Its Legacy

The modern bee crisis first hit the headlines around **2006** with the terrifying phenomenon called **Colony Collapse Disorder (CCD)** [^13]. This was not just bees dying; it was mass disappearance. Beekeepers would find their honey bee colonies empty—the adult worker bees had vanished, leaving behind the queen, the young brood, and plenty of honey and pollen, but no one to do the work [^14].

While the immediate, mysterious vanishing act of CCD has lessened, its legacy is the high, unacceptable annual death rate that continues today. U.S. commercial beekeepers routinely lose **30% to 40%** of their colonies each winter, a rate that is more than double the sustainable historical loss rate [^15]. For native species, the situation is often worse. Several bumble bee species, including the once-common **Rusty Patched Bumble Bee** (*Bombus affinis*), have declined by nearly 90% and are federally protected—meaning they are

functionally on the brink [^16]. The crisis is no longer a mystery; it's a chronic, systemic failure.

2.2 The 'Four Ps' of Bee Decline: Pesticides, Parasites, Poor Nutrition, and Pathogens

The simple, ugly truth is that bees are dying from a brutal, synergistic combination of four interacting factors, commonly called the "**Four Ps**":

1. **Pesticides:** Chemical exposure (detailed further in Part II) doesn't just kill bees instantly. Low, chronic doses severely impair their learning, memory, navigation, and ability to reproduce. This makes them incapable of fighting off the other three threats [^17].
2. **Parasites:** The single most destructive force against the managed European honey bee is the **Varroa destructor mite** (*Varroa destructor*). This mite is a microscopic nightmare, sucking the blood-like hemolymph from adult bees and developing pupae. Critically, it acts as a transmission vector for debilitating **viruses**, most notably **Deformed Wing Virus (DWV)**, which is strongly linked to colony mortality [^18].
3. **Poor Nutrition (Habitat Loss):** Modern, large-scale agriculture has created enormous **monocultures**—vast fields of a single crop (like corn or almonds). When these crops bloom, it's a temporary feast, but for the majority of the season, bees face **nutritional deserts** lacking the diverse pollen and nectar sources they need [^19]. This lack of diverse vitamins and proteins weakens their immune systems and their resilience against disease [^20]. **Habitat loss**, driven by development and industrial farming, eliminates the diverse wildflowers and nesting sites that native bees desperately need.
4. **Pathogens (Viruses and Bacteria):** When a bee is weakened by pesticide exposure and poor nutrition, it is highly susceptible to disease. Beyond the viruses spread by Varroa mites, common pathogens include **Nosema** (a fungal gut parasite) and bacterial diseases like **American Foulbrood** [^21].

The problem is that these threats don't act alone; they multiply. A tiny, sub-lethal dose of a pesticide, for example, might not kill a bee outright, but it will impair its immune system just enough so that a mild case of Nosema becomes fatal, or a minor mite infestation spirals into a collapse [^22].

2.3 Climate Change: A Growing Threat

As if the 'Four Ps' weren't enough, global warming is disrupting the fundamental timing of nature, making the struggle for bees even harder [^23].

- **Phenological Mismatch:** Warming temperatures cause flowers to bloom earlier in the spring. If the emergence of bee species (their **phenology**) doesn't accelerate at the exact same rate, the bees miss the crucial peak bloom—their food source disappears before they wake up [^24]. This is particularly devastating for native, specialized bees that rely on only one or two specific plant species.
- **Range Contraction:** Studies, particularly focusing on bumble bees, show that

populations are struggling to adapt to rising heat. Instead of expanding their ranges northward, they are simply disappearing from the hottest, southernmost parts of their historical territory, leading to a massive loss of biodiversity [^25].

- **Extreme Weather:** Increased frequency and intensity of droughts directly reduce the nectar and pollen production in plants, leading to mass starvation. Conversely, intense rainfall can destroy ground nests and drown foraging bees [^26].

We are not just losing bees; we are creating an environment where life is no longer biologically synchronized. The sheer complexity of these overlapping threats demands a systemic response, starting with the factor we can control most easily: the chemicals.

Part II: The Main Threat - A Deep Dive into Pesticides

Chapter 3: The Silent Killer: Neonicotinoids

3.1 What are Neonicotinoids (Neonics)?

If you want to understand who is killing the bees, you need to know the name of the main weapon: **Neonicotinoids (Neonics)**. This class of systemic insecticides, chemically similar to nicotine, was developed in the 1990s and quickly became the most widely used insecticide class worldwide [^27].

The reason they are so popular with industry, and so lethal to bees, is their **systemic** nature. Unlike old pesticides that required direct spraying, neonics are often applied as a coating directly onto crop seeds before they are planted. As the plant grows, the pesticide is incorporated into **every single cell**—the leaves, the stems, the roots, and, most critically, the **pollen and nectar** that bees consume [^28].

This means the bee is not accidentally sprayed; it is poisoned by its primary food source. When a bee forages on a treated corn, soy, or sunflower field, it is ingesting a toxin. Even at low concentrations, this chronic, constant exposure throughout the season is devastating to the colony [^29].

3.2 How Neonics Affect Bees (Navigation, Reproduction, and Immune System)

For years, the chemical industry insisted that the concentrations of neonics found in the field were too low to cause significant harm (**sublethal**). This argument was a cynical lie. Research has definitively proven that even minute doses fundamentally compromise bee function and health [^30].

- **Impaired Navigation and Foraging:** Neonics are neurotoxins that act on the bee's central nervous system. This exposure impairs their ability to learn and remember landmarks. Exposed worker bees often struggle or fail to perform the essential **waggle dance** (which communicates food location) and, most critically, get lost and die before they can return to the hive [^31]. This mass loss of foragers is one of the key observable outcomes that mirrors the original CCD symptoms.
- **Immune System Suppression:** Chronic exposure forces the bee's body to divert energy to detoxification processes, weakening its overall immune response. This makes the bee virtually helpless against common pathogens and parasites like the **Varroa mite** and **Deformed Wing Virus (DWV)**, turning a manageable infection into a fatal colony crisis [^32].
- **Reproductive Collapse:** The future of a colony depends entirely on the queen and the new queens produced by bumble bees. Neonic-contaminated pollen and nectar fed to the queen or developing royal brood can drastically reduce the queen's egg-laying rate (fecundity). In bumble bees, studies show that neonicotinoids can prevent the colony from producing new queens entirely, guaranteeing the colony's death in the following year [^33].

The scientific consensus is undeniable: neonicotinoids are a major, preventable driver of global bee decline across both managed honey bees and vulnerable native species [^34].

3.3 Regulatory Responses and Global Bans

The fight to control these chemicals has been a brutal lesson in corporate lobbying versus environmental science. Some governments have acted decisively, while others lag shamefully behind.

The **European Union (EU)** took the strongest stance, implementing a **near-total ban** on the outdoor use of three primary neonicotinoids (clothianidin, imidacloprid, and thiamethoxam) in 2018. This decision was based directly on the high, unacceptable risk to bee populations [^35]. This global action proved that regulatory change is possible when public pressure and scientific evidence align.

In North America, the response has been fragmented and inadequate:

- **Canada** has introduced significant restrictions on certain high-risk uses, such as some seed treatments, in provinces like Ontario [^36].
- The **United States** has seen only regional success (e.g., bans on consumer sales in certain states), but the federal Environmental Protection Agency (EPA) continues to approve many agricultural uses, often allowing the use of millions of pounds of these chemicals annually [^37].

The corporations that profit from these poisons constantly develop new chemicals to skirt regulations. The key takeaway is this: until there are comprehensive, global bans that mirror the EU's action, the silent killer will continue to decimate the workforce essential to our survival.

Chapter 4: Other Chemical Culprits

While Neonicotinoids rightly earn the spotlight as the most devastating pesticide class, they are far from the only threat. The modern chemical landscape is a toxic cocktail that hits bees from multiple directions. To truly protect pollinators, we must confront the other chemical bastards hiding in plain sight.

4.1 The Role of Herbicides (e.g., Glyphosate)

Herbicides are chemicals designed to kill plants, so many people mistakenly believe they are harmless to insects. They are not. Herbicides are killing bees indirectly and efficiently. The most common of these is **Glyphosate**, the active ingredient in Roundup and widely used in massive quantities in agriculture, commercial landscaping, and residential yards [^38].

The damage is twofold:

1. **Starvation by Habitat Destruction:** Glyphosate's primary sin is the relentless destruction of **weeds**—which, to a bee, are simply **wildflowers and crucial forage**. In industrial farming, the widespread use of herbicide-tolerant crops means vast fields are sprayed to kill every non-crop plant, creating massive **nutritional deserts** for bees [^39]. Without the diverse, weedy borders and hedgerows, bees lack the continuous supply of vitamins and proteins they need to survive.
2. **Weakening the Immune System:** Recent, crucial research demonstrates that glyphosate is toxic to the bees themselves, particularly in their digestive system. It directly disrupts the essential **gut microbiome** of honey bees and bumble bees [^40]. This gut flora is necessary for digestion and, crucially, for fighting off common pathogens. When the gut is compromised, the bee is far more susceptible to deadly infections like **Nosema** [^41]. Glyphosate weakens the bee's defenses, making it easier for everything else—parasites, viruses, and other chemicals—to finish the job.

4.2 Fungicides and Their Unforeseen Effects

Fungicides are chemicals used to prevent mold and mildew on crops, particularly fruits like almonds, cherries, and apples. Because they are designed to kill fungi, not insects, they were long assumed to be safe for pollinators. This assumption was dangerously, demonstrably wrong [^42].

Fungicides become lethal due to **synergistic toxicity**—the interaction between two different chemicals resulting in a toxicity far greater than the sum of their individual effects.

- **The Chemical Force Multiplier:** When a bee encounters a fungicide alongside a low, "safe" dose of an insecticide, the fungicide often **magnifies the toxicity** of the insecticide up to a thousandfold [^43]. Research suggests the fungicide interferes with the bee's own detoxification enzymes (P450), rendering the bee completely unable to

process and eliminate the insecticide [^44].

- **Pollen Contamination:** Fungicides are routinely found in the pollen bees collect and store, which is then fed to the developing larvae. This chemical contamination directly harms the young, leading to reduced brood viability and poor adult development, ensuring the colony struggles to replace its workforce [^45].

4.3 Understanding Acute vs. Chronic Exposure

When citizens demand action, the focus often lands on the **Acute Exposure** scenario: the high-visibility image of a bee being sprayed directly and dying instantly. While this happens, it is not the main engine of global bee decline.

The real crisis is **Chronic Exposure**: the repeated, low-level contamination of the bee's food supply over its lifespan [^46].

EXPOSURE TYPE	IMPACT ON THE BEE	IMPACT ON THE COLONY
Acute (High Dose)	Immediate death, paralysis, or inability to fly.	Quick, noticeable loss of a small number of foragers.
Chronic (Low Dose)	Impaired learning, reduced lifespan, weakened immune system, reproductive failure.	The primary driver of colony collapse. Gradual decline, failure to replace workers, inability to fight disease, and eventual collapse without clear, immediate cause.

This distinction is vital for effective action. Banning only high-dose, acute spraying is a partial fix. We must prioritize the removal of **systemic and synergistic poisons** that guarantee the chronic poisoning of the entire hive through its food supply, slowly choking the life out of the colony over weeks and months.

Part III: Citizen Action - How You Can Help

Chapter 5: Planting for Pollinators: The Bee Garden

You don't have to be a farmer to fix this; you just have to stop killing the food.

5.1 Creating a Bee-Friendly Habitat (Year-round Blooms)

A successful bee habitat is about more than planting a single flower; it's about providing a

sustainable, varied food source from early spring to late fall.

1. **Prioritize Continuous Bloom:** Design your garden to ensure something is always flowering, from the earliest spring blossoms (crocus, willow) to the late fall sources (asters, goldenrod) [^47].
2. **Plant in Clumps:** Bees prefer large patches of the same flower (a concentrated food source) [^48]. Plant flowers in groups of **at least three to five square feet** to make your garden an irresistible target.
3. **Choose the Right Colors and Shapes:** Bees are drawn to **blue, purple, white, and yellow** flowers. **Avoid hybrid flowers** bred for size or unusual colors, as these often contain little to no nectar or viable pollen [^49].

5.2 Native Plants: The Best Food Source

The single most effective action you can take is to ditch the imported ornamentals and prioritize **native plants**. Native bees and native plants have evolved together over millennia, creating a perfectly tailored food relationship [^50].

- **Nutritional Superiority:** Native plants often provide pollen and nectar that is nutritionally superior and chemically safer for the local native bees.
- **Regional Specificity:** Find plants indigenous to your specific **ecoregion** [^51]. Use resources from local extension offices, native plant societies, or conservation organizations.
- **The Problem with "Bee Mix" Seed Packets:** Be wary of cheap, general "bee mixes." These often contain non-native, sometimes invasive, or nutritionally poor species. Insist on native, regionally appropriate seeds.

5.3 Water, Shelter, and Nesting Sites

Bees need more than just food; they need a safe place to drink, rest, and reproduce.

- **Providing Water:** Place a shallow dish or bird bath filled with pebbles, corks, or marbles that stick above the water line. Bees can land on these dry spots and drink without falling in [^52].
 - **Creating Nesting Habitat: 70% of native bee species are ground-nesters**, and another **30% are cavity-nesters** [^53].
 - **Ground-Nesters:** Leave some areas of your garden **bare and unmulched**. Tidy lawns and thick mulch prevent these bees from nesting.
 - **Cavity-Nesters (Tunnel-Nesters):** Leave old, dead wood, brush piles, and hollow plant stems (like those from sunflowers or hydrangeas) standing throughout the winter. If using a **bee hotel**, ensure tunnels can be cleaned or replaced annually to prevent disease [^54].
-

Chapter 6: Chemical-Free Living and Advocacy

The single biggest difference you can make immediately is stopping the flow of poison from your home into the local ecosystem.

6.1 Eliminating Pesticides from Your Yard and Garden

1. **Stop the Herbicide Habit:** Ditch the weed-and-feed products (which often contain systemic toxins) and commit to a philosophy of **tolerate and manage**. **Dandelions** and **clover** are critical early food sources [^55].
2. **Read Every Label:** If a garden product says "Systemic," "Long-Lasting," or "Kills on Contact" and you can't identify the active ingredient as non-toxic, **don't buy it** [^56].
3. **Beware the "Treated" Plants:** **Always ask your nursery staff if the plants have been treated with systemic insecticides** (neonicotinoids). If they don't know, buy certified organic or start from untreated seeds [^57].

6.2 Safe Pest Management Alternatives

The solution lies in **Integrated Pest Management (IPM)**, a holistic, non-chemical approach that prioritizes prevention and natural controls [^58].

PEST PROBLEM	BEE-SAFE ALTERNATIVE (IPM)
Aphids, Whiteflies	Insecticidal Soap (Spray at dusk), Blast with a strong jet of water , or introduce Ladybugs (natural predators) [^59].
Caterpillars (on specific crops)	Use Bacillus thuringiensis (Bt) : lethal to caterpillars <i>only</i> when ingested, completely harmless to bees [^60].
Slugs, Snails	Beer traps , Copper tape , or Iron Phosphate pellets (organic slug bait).
Mites, Fungus	Neem Oil (applied at night when dry), or Baking Soda Spray for mildew/fungus [^61].

6.3 Buying Bee-Friendly: What to Look for at the Grocery Store

1. **Choose Organic and Certified:** Organic food is grown without the use of over 900 synthetic pesticides [^62]. Look for the **USDA Organic** seal or certifications like **Bee Better Certified** [^63].

2. **Support Bee-Aware Retailers:** Buy from stores that have implemented **pollinator health policies** to phase out bee-toxic chemicals in their produce supply chains [^64].
 3. **Local and Direct:** Buy directly from a **local farmer** at a farmers' market and ask about their pest control practices—this is the best way to verify chemical-free growing.
-

Chapter 7: Scaling Up: Community and Policy

You've fixed your yard and your kitchen. Now it's time to influence the larger systems.

7.1 Starting a Local Bee Initiative (Bee City USA, etc.)

- **Go "No Mow May" (or Just Mow Less):** Challenge your neighborhood to participate in "No Mow May" to allow early spring food to bloom. Commit to mowing less frequently and raising the blade height [^65].
- **The Bee City/Campus Program:** Advocate for your municipality or school to become a certified **Bee City USA** (or equivalent), requiring an Integrated Pest Management (IPM) plan and the creation of public habitat [^66].
- **Establish Public Habitat:** Petition your local park or library to convert unused, sterile lawn areas into **native pollinator gardens**.

7.2 Supporting Beekeepers and Farmers

- **Buy Local Honey (and Talk to the Beekeeper):** Support small-scale beekeepers who use less-toxic mite and pest controls. Ask them about their challenges to understand local threats [^67].
- **The Power of Organic Farming:** Support **Certified Organic** or **Bee Better Certified** farmers through CSAs or grocery purchases, rewarding practices that treat bees as valuable allies.
- **Bridge the Gap:** Encourage conventional farmers to plant **pollinator habitat strips** around their crop borders—a practice proven to increase crop yields [^68].

7.3 Advocating for Stronger Environmental Policies

1. **Demand Local Pesticide Bans:** Target your city council to ban the use of neonicotinoids and glyphosate on all public property [^69].
2. **Protect Native Species:** Advocate for the protection of endangered native bees, which triggers mandatory habitat preservation and pesticide restrictions in their critical range.
3. **End the Neonic Seed Treatment Loophole:** Pressure state and federal legislation to regulate all systemic insecticide use, including **neonic-treated seeds**, which are

currently unregulated in many areas [^70].

Part IV: Conclusion

Chapter 8: The Future of Pollination

8.1 Innovative Solutions and Research

Researchers are finding solutions to key problems:

- **Breeding for Resistance:** Scientists are breeding honey bees with **Varroa Sensitive Hygiene (VSH)** traits to better fight the **Varroa destructor mite** [^71].
- **Targeted Pesticides and Delivery:** The shift is toward **bio-pesticides** and drone technology for precision application, drastically reducing chemical use and drift [^72].
- **Precision Agriculture for Habitat:** Farmers use mapping technology to convert unproductive land into **pollinator habitat strips**, balancing farm economics with bee conservation [^73].

8.2 A Call to Action: Why Saving Bees Saves Us

Bees are the ultimate **bio-indicators** [^74]. Their collapse signals a poisoned environment.

Saving the bees is the most direct way to clean up the environment for ourselves:

- **A ban on neonics** means safer food and water for humans.
- **The proliferation of native plants** means less need for excessive watering and chemical fertilizers.
- **The support of organic farming** leads to healthier soil, sequestering carbon and fighting climate change.

8.3 Final Thoughts: Hope and Sustained Effort

Bees are incredibly resilient. Given adequate food, water, nesting sites, and, crucially, the *absence of poison*, bee populations can recover faster than nearly any other endangered wildlife group.

Your Ongoing Bee Pledge:

1. **Do not kill a bee:** Educate yourself and your neighbors.
2. **No more systemic poisons:** Commit to a zero-pesticide, zero-neonic policy in your

home and yard.

3. **Plant native, year-round food:** Make your space a functional, diverse habitat.
4. **Demand change:** Use your voice and your dollar to pressure retailers and local government for bee-safe policies.

The battle is constant. The forces of industrial agriculture and chemical companies will not stop. But neither can you.

Now, go outside, get your hands dirty, and fight for the little workers who fight for us.

Thank you for not killing the bees.

END OF BOOK
